SEQUENCE LISTING

(1) GENERAL	. Informatiqu	N:
-------------	---------------	----

4				•		_
и	•) λ	~~!		: A N	

- (A) NAME: Ludwig Institute for Cancer Research
- (B) STREET: St.\Mary's Hospital Medical School, Norfolk Plade
- (C) CITY: Paddington, London (E) COUNTRY: United Kingdom
- (F) POSTAL CODE (ZYP): W2 1PG
- (11) TITLE OF INVENTION: PROTEINS HAVING SERINE/THREONINE KINASE DOMAINS, CORRESPONDING NUCLEIC ACID MOLECULES, AND THEIR USE
- (iii) NUMBER OF SEQUENCES: 29
- (iv) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: Ploppy disk
 - (B) COMPUTER: IBM PC compatible
 - (C) OPERATING SYSTEM: PC-DOS/MS-DOS
 - (D) SOFTWARE: PatentIn Release #1.0, Version #1.25 (EPO)

(2) INFORMATION FOR SEQ ID NO: 1:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1984 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: unknown
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iii) ANTI-SENSE: NO
 - (v) FRAGMENT TYPE: internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: Homo sapiens
- (ix) FEATURE:
 - (A) NAME/KEY: CDS
 - (B) LOCATION: 283..1791


(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 1:

AGGAAACGGT TTATTAGGAG GGAGTGGTCG AGCTGGGCCA GGCAGGAAGA CGCTGGAATA 60 AGAAACATTT TTGCTCCAGC CCCCATCCCA GTCCCGGGAG GCTGCCGCGC CAGCTGCGCC 120 GAGCGAGCCC CTCCCCGGCT CCAGCCCGGT CCGGGGCCGC GCCGGACCCC AGCCCGCCGT 180 CCAGCGCTGG CGGTGCAACT GCGGCCGCGC GGTGGAGGGG AGGTGGCCCC GGTCCGCCGA 240



AGGC	TAGO	c c	cccc	cyko	∞	AGAG	cccc	; ccc	EAGAG	:GGA	CC)	ATG) let 1	occ 1 Thr I	rig (ec Sly	:	294
TCC Ser 5	CCC Pro	AGG Arg	AAA Lys	GGC Gly	2007 1007 1007	CTG Leu	ATG Het	CTG Leu	CTG Leu	ATG Met 15	GCC Ala	TTG Leu	GTG Val	acc Thr	CAG Gln 20		342
GGA Gly	GAC Asp	CCT Pro	GTG Val	AAG Lys 25	CCG Pro	SPE	CGG Arg	gly ecc	CCG Pro 30	CTG Leu	GTG Val	ACC Thr	TGC Cys	ACG Thr 35	TGT Cys		390
GAG Glu	AGC Ser	CCA Pro	CAT His 40	TGC Cys	AAG Lys	Gly	Pro	ACC Thr 45	TGC Cys	CGG Arg	es Gee	GCC Ala	TCG Trp 50	TGC Cys	ACA Thr		438
GTA Val	GTG Val	CTG Leu 55	GTG Val	yrd CCC	GAG Glu	GAG Glu	eg ej/A eee	AGG Arg	CAC His	CCC Pro	CAG Gln	GAA Glu 65	CAT His	CGG Arg	GGC Gly		486
Cys	Gly 70	Asn	TTG Leu	His	λrg	Glu 75	Leu	X	Arg	Gly	Arg 80	Pro	Thr	Glu	Phe		534
GTC Val 85	AAC Asn	CAC His	TAC Tyr	TGC Cys	TGC Cys 90	yab Gyc	agc _i Sei	HI.	Leu	TGC Cys 95	AAC Asn	CAC	ASD D	GTG Val	TCC Ser 100		582
CTG Leu	GTG Val	CTG Leu	GAG Glu	GCC Ala 105	ACC Thr	CAA Gln	CCT Pro	CCT Pro	TOG Ser 110	GAG Glú	CAG Gln	CCG Pro	GGX Gly	ACA Thr 115	GAT Asp		630
GCC	CAG Gln	CTG Leu	GCC Ala 120	CTG Leu	ATC Ile	CTG Leu	GGC	Pro 125	GTG Val	ren gie	GCC	TTG	CTG Leu 130	GCC Ala	CTG Leu		678
GTG Val	GCC Ala	CTG Leu 135	GGT Gly	GTC Val	CTG	ely eec	CTG Leu 140	TGG Trp	CAT His	GTC Val	yta CCY	CGG Arg 145	YCG YLd	CAG Gln	G)u		726
Lys	Gln 150	Arg	GGC	Leu	His	Ser 155	Glu	Leu	Gly	Glu	Ser 160	Ser	Leu	Ile	Leu		774
Lys 165	Ala	Ser	GAG Glu	Gln	Gly 170	увр	Thr	Met	Leu	Gly 175	ysb	Let	Leu	Asp	ser 180		822
Хsр	Cys	Thr	ACA Thr	Gly 185	Ser	Gly	Ser	Gly	Leu 190	Pro	Phe	Leu	API	G1n 195	Arg		870
Thr	Val	Ala	ccc Arg 200	Gln	Val	Ala	Leu	Val 205	Glu	Cys	VAI	GIÀ	210	ETA.	Arg		918
TAT Tyr	GGC	GAA Glu 215	GTG Val	TGG Trp	CGG Arg	GGC	TTG Leu 220	Trp	CAC	GGT Gly	GAG Glu	AGT Ser 225	GTG Val	A14	GTC Val		966

										TGG Trp						1014
										AAC Asn 255						1062
										ACG Thr						1110
										GAC Asp						1158
										GCT Ala						1206
GCC	CTG Leu 310	GCG Ala	HIS	CIG	CAC His	GTG Val 315	GAG Glu	ATC	Phe	GGT Gly	ACA Thr 320	CAG Gln	GTA	AAA Lys	CCA Pro	1254
GCC Ala 325	ATT Ile	GCC Ala	CAC His	CGC Arg	GAC Asp 330	TTC Phe	AAG Lys	AGC Ser	腾	AAT Asn 335	GTG Val	CTG Leu	GTC Val	AAG Lys	AGC Ser 340	1302
AAC Asn	CTG Leu	CAG Gln	TGT Cys	TGC Cys 345	ATC Ile	GCC Ala	GAC Asp	CTG Leu	GGC Gly 350	teu CIC	GCT Ala	GTG Val	ATG Met	CAC His 355	TCA Ser	1350
										AAC ABD						1398
										GAG Glu						1446
										TGG Trp						1494
										AAT Asn 415			GTG Val			1542
										AAT Asn						1590
										CAG Gln						1638
AAC	CGG Arg	CTG Leu 455	GCT Ala	GCA Ala	gac Asp	CCG Pro	GTC Val 460	CTC Leu	TCA Ser	gly gcc	CTA Leu	GCT Ala 465	CAG Gln	Note Hot	ATG Het	1686



(2) INFORMATION FOR SEQ ID NO: 2:

- (1) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 503 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein/
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 2:

Met Thr Leu Gly Ser Pro Arg Lys Gly Leu Leu Met Leu Leu Met Ala 1 5 15

Leu Val Thr Gln Gly Asp Pro Val Lys Pro Ser Arg Gly Pro Leu Val 20 30

Thr Cys Thr Cys Glu Ser Pro His Cys Lys Cly Pro Thr Cys Arg Gly
35 40 45

Ala Trp Cys Thr Val Val Leu Val Arg Glu Gly Arg His Pro Gln 50 55

Glu His Arg Gly Cys Gly Asn Leu His Arg Glu Leu Cys Arg Gly Arg
65 70 75 80


Pro Thr Glu Phe Val Asn His Tyr Cys Cys Asp Ser His Leu Cys Asn 90 95

His Asn Val Ser Leu Val Leu Glu Ala Thr Gln Pro Pro Ser Glu Gln
100 105

Pro Gly Thr Asp Gly Gln Leu Ala Leu Ile Leu Gly Pro Val Leu Ala 115 120 125

Leu Leu Ala Leu Val Ala Leu Gly Val Leu Gly Leu Trp Hiz Val Arg
130 135 140

Arg Arg Gln Glu Lys Gln Arg Gly Leu His Ser Glu Leu Gly Glu Ser 145 150 155 160



355

Thr Ala Leu Arg Ile Lys Lys Thr Leu Gln Lys Ile Ser Asn Ser Pro 490 485 Glu Lys Pto Lys Val Ile Gln 500 (2) INFORMATION FOR SEQ ID NO: 3: (1) SEQUÊNCE CHARACTERISTICS: (A) DENGTH: 2724 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: unknown (D) TOPOLOGY: linear (11) MOLECULE TRPE: CDNA (111) HYPOTHETICAL NO (iii) ANTI-SENSE: NO (v) FRAGMENT TYPE: internal (vi) ORIGINAL SOURCE: (A) ORGANISM: Homo papiens (ix) FEATURE: (A) NAME/KEY: CDS (B) LOCATION: 104..1630 (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 3: CTCCGAGTAC CCCACTGACC AGAGTGAGAG AA&CTCTGAA CGAGGGCACG CGGCTTGAAG 60 GACTGTGGGC AGATGTGACC AAGAGCCTGC ATTAAGTTGT ACA ATG GTA GAT GGA 115 Met Val Asp Gly GTG ATG ATT CTT CCT GTG CTT ATC ATG ATT GCT CTC CCC TCC CCT AGT Val Het Ile Leu Pro Val Leu Ile Het Ile Ala Leu Pro Ser Pro Ser 163 ATG GAA GAT GAG AAG CCC AAG GTC AAC CCC AAA CTC TAC ATG TGT GTG Met Glu Asp Glu Lys Pro Lys Val Asn Pro Lys Deu Tyr Met Cys Val 211 TGT GAA GGT CTC TCC TGC GGT AAT GAG GAC CAC TGT\GAA GGC CAG CAG 259 Cys Glu Gly Leu Ser Cys Gly Asn Glu Asp His Cys Clu Gly Gln Gln TGC TTT TCC TCA CTG AGC ATC AAC GAT GGC TTC CAC GTG TAC CAG AAA Cys Phe Ser Ser Leu Ser Ile Asn Asp Gly Phe His Val\Tyr Gln Lys 307

GGC TGC TTC CAG GTT TAT GAG CAG GGA AAG ATG ACC TGT AAG ACC CCG

Gly Cys Phe Gln Val Tyr Glu Gln Gly Lys Met Thr Cys Lya Thr Pro

CCG Pro 85	Ser	Pro	Gly	CAA Gln	GCT Ala 90	Val	GAG Glu	TGC Cys	TGC Cys	CAA Gln 95	GCG	GAC	TCC	Cys	AAC Asn 100	403
AGG Arg	AAC	ATC Ile	Apr	GCC Ala 105	CAG Gln	CTG	Pro	ACT Thr	AAA Lys 110	GGA Gly	AAA Lys	TCC Ser	TTC Phe	Pro 115	GGA	451
ACA Thr	CAG Gln	AAT	TTC Phe 120	B∕t∎	TTG Leu	GAG Glu	GTT Val	GGC Gly 125	CTC	ATT	ATT	CTC Leu	TCT Ser 130	GTX Val	GTG Val	499
TTC Phe	GCA Ala	GTA Val 135	CAR	CTT	TTA	GCC Ala	TGC Cys 140	CTG Leu	CTG Leu	GGA Gly	GTT Val	GCT Ala 145	CTC	CGA	Lys	547
TTT Phe	Lys 150	Arg	Arg	AAC	CAA Gln	624 62u 155	ccc Arg	CTC	AAT Ass	CCC Pro	CGA Arg 160	GAC Asp	GTG Val	GAG Glu	TAT	595
GGC Gly 165	ACT Thr	ATC Ile	GAA Glu	GCG	CTC Leu 170	ATC Ile	TINE	ACC	AAT Asn	GTT Val 175	GGA Gly	GAC Asp	AGC Ser	ACT Thr	TTA Leu 180	643
GCA Ala	GAT Asp	TTA	TTG Leu	GAT Asp 185	CAT His	TCG Ser	TGT Cys		TCA Ser 190	GGA Gly	AGT Ser	GLY	TCT Ser	GGT Gly 195	CTT Leu	691
CCT Pro	TTT Phe	CTG	GTA Val 200	CAA Gln	AGA Arg	ACA Thr	GTG Val	GCT Ala 205	W.a ccc	CAG Gln	ATT Ile	ACA Thr	CTG Leu 210	TTG Leu	GAG Glu	739
TGT Cys	GTC Val	GGG Gly 215	AAA Lys	GCC	ycc yld	TAT Tyr	GGT Gly 220	GAG Glu	GTG Val	1/LD ACC	AGG Arg	GGC Gly 225	AGC Sei	TGG Trp	CAA Gln	787
GGG Gly	GAA Glu 230	AAT Asn	GTT Val	GCC Ala	GTG Val	AAG Lys 235	ATC Ile	TTC Phe	TCC Ser	TCC Ser	Arg 240	GAT Asp	GAG Glu	AAG Lys	TCA Ser	835
TGG Trp 245	TTC Phe	AGG Arg	GAA Glu	ACG Thr	GAA Glu 250	TTG Leu	TAC Tyr	AAC Asn	Thr	GTG Val 255	ATG Met	ren CIC	AGG Arg	CAT His	GAA Glu 260	883
AAT Asn	ATC Ile	TTA Leu	GGT Gly	TTC Phe 265	ATT Ile	GCT Ala	TCA Ser	ysb	ATG Met 270	ACA Thr	TCA Ser	AGA Arg	His	TCC Ser 275	AGT Ser	931
ACC Thr	CAG Gln	CTG Leu	TGG Trp 280	TTA Leu	ATT Ile	ACA Thr	Bis	TAT Tyr 285	CAT	GAA Glu	ATG Het	Gly	700 Ser 290	TTC Leu	TAC Tyr	979
GAC Asp	Tyr	CTT Leu 295	CAG Gln	CTT Leu	ACT Thr	Thr :	CTG Leu 300	GAT Asp	ACA Thr	GTT . Val	Ser	TGC Cys 305	CTT Leu	COLA ALG	ATA Ile	1027
GTG Val	CTG Leu 310	TCC Ser	ATA Ile	GCT Ala	Ser	GGT (Gly) 315	CTT Leu	GCA Ala	CAT :	Leu	CAC . His 320	ATA (Ile (GAG : Glu :	ATA Ile	Phe	1075

•	
S	AGC

GGG Gly	ACC Thr	CAA Gln	G14 GCC	AYA	Pro	GCC Ala	ATT Ile	GCC Ala	CAT His	YLd	GAT Asp	TTA Lou	AAG Lys	AGC Ser	AAA Lys 340	1123
325				\	330					333						
AAT Asn	ATT Ile	CTG Leu	GTT Val	AAG Lys 345	AYC YYC	AAT	GGA	CAG Gln	TGT Cys 350	TGC Cys	ATA Ile	Ala	GAT Asp	Leu 355	GCGC	1171
CTG Leu	GCA Ala	GTC Val	ATG Met 360	CAT His	TCC	CAG Gln	AGC Ser	ACC Thr 365	AAT Asd	CAG Gln	CTT Leu	GAT Asp	GTG Val 370	GCG	AAC Asn	1219
AAT Asn	CCC Pro	CGT Arg 375	GTG Val	GGC	ACC Thr	Lya	CGC Arg 380	TAC Tyr	ATG Met	GCC Ala	CCC Pro	GAA Glu 385	GTT Val	CTA	GAT Asp	1267
GAA Glu	ACC Thr 390	Ile	CAG Gln	GTG Val	GAT Asp	TGT Cys 395	Phe	GAT Asp	TCT Ser	TAT Tyr	AAA Lys 400	vid	GTC Val	GAT Asp	ATT Ile	1315
TGG Trp 405	Ala	TTT Phe	GGA Gly	CTT	GTT Val 410	Leu	TGG	CYV CYV	GTG	GCC Ala 415	AGG Arg	CGG Arg	ATG Met	GTG Val	AGC Ser 420	1363
AAT Asn	GGT Gly	ATA Ile	GTG Val	GAG Glu 425	yab	TAC	AAG Lys	CCA	625 430	Pne	TAC	GAT Asp	GTG Val	GTT Val 435	Pro	1411
AAT Asn	GAC Asp	CCA Pro	AGT Ser 440	Phe	GAA Glu	GAT Asp	ATG Met	AGG Arg 445	Lys	CIA Val	GTC Val	TGT	GTG Val 450	veh	CAA Gln	1459
CAA Glm	AGG Arg	CCA Pro 455	yeu	ATA	CCC	AAC Asd	AGA Arg 460	Trp	TTC	TCA Ser	GAC Asp	CCG Pro 465	The	TTA Leu	ACC	1507
TCI Ser	CTG Leu 470	Ala	Lys	CTA Leu	ATG Het	1 AAA 1 Lys 475	GIU	TGC	TGG	TAT	Glm 480		CCA Pro	TCC	GCA Ala	1555
AGA Arg	Leu	ACA Thr	GCA Ala	CTG Leu	CGT Arg 490	Ile	Lys	AAG Lys	ACT	TTG Leu 495	The	AAA Lys	ATT	GAT Asp	AAT Asn 500	1603
TCC Ser	CTC Leu	GAC ABP	Lys	TTG Leu 505	Lys	ACI Thi	. Yai	TGI Cya	TGA	CATT	TTC	ATAG	1616	AA:		1650
GAJ	GGAA	GAT	TIGA	CCT1	CT 1	CICI	LTTG1	rc C#	GCTG	GGAC	CT	ATGC	TGG	cche	ACTGG	1710
														1	GACCT	
															dicie	
															whee	
															etca/et	
GC:	TTG	CATA	GCT	TTCA(CAA (STCT	CTAC	ia Ci	ACTC(JULIAL	. 66			A341	recief.	

AATTTTTAA	TCAGCAATAT	TGCCTGTGCT	TCTCTTCTTT	ATTGCACTAG	GAATTCTTTG	2070
ATTCCTTAC	TOCACTOIT	ACTOTTAATT	TTAAAGACCC	AACTTGCCAA	ANTGTTGGCT	2130
	•					2190
	1		CTGATGTTTA			2250
	\				GTTTTTACAA	2310
					TATTACAGAA	2370
	1				AAAATCACAT	2430
		1			CATATGCAGA	2490
		•			GAAGCAAAGA	2550
		\	GGGGAAAATG		•	2610
					CTACTTTTTG	2670
			AACTGTTTTC			2724
IVITITACING.	TTUTTATU					

(2) INFORMATION FOR SEQ ID NO: 4:

- (1) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 509 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 42

 Met Val Asp Gly Val Met Ile Leu Pro Val Leu Ile Met Ile Ala Leu
 10

Pro Ser Pro Ser Met Glu Asp Glu Lys Pro Lys Val Asn Pro Lys Leu 20 25 30

Tyr Met Cys Val Cys Glu Gly Leu Ser Cys Gly Asn Glu Asp His Cys 35


Glu Gly Gln Gln Cys Phe Ser Ser Leu Ser Ile Asn Asp Gly Phe His

Val Tyr Gln Lys Gly Cys Phe Gln Val Tyr Glu Gln Gly Lys ket Thr 65 70 75

Cys Lys Thr Pro Pro Ser Pro Gly Gln Ala Val Glu Cys Cys Gln Gly 95

Asp Trp Cys Asn Arg Asn Ile Thr Ala Gln Leu Pro Thr Lys Gly Lys
100 105

Ser Phe Pro Gly Thr Gln Asn Phe His Leu Glu Val Gly Leu Ile Ile 115 120



396

Asp Gin Gin Arg Pro Asn Ile Pro Asn Arg Trp Phe Ser Asp Pro Thr Leu Thr Ser Leu Ala Lys Leu Het Lys Glu Cys Trp Tyr Gln

Asn Pro Ser Ala Arg Leu Thr Ala Leu Arg Ile Lys Lys Thr Leu Thr

Lys Ile Asp Asn Ser Leu Asp Lys Leu Lys Thr Asp Cys 505

(2) INFORMATION FOR SEQ ID NO: 5:

- (1) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 2932 base pairs

 - (B) TYPE: nucleic acid
 (C) STRANDEDNESS: unknown
 - (D) TOPOLOGY: linear
- (11) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iii) ANTI-SENSE: NO
 - (v) FRAGMENT TYPE: internal
 - (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: Homo sapiens
 - (ix) FEATURE:
 - (A) NAME/KEY: CDS
 - (B) LOCATION: 310..1905
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 5:

GCTCCGCGCC GAGGGCTGGA GGATGCGTTC CCTGGGGTCC GGACTTATGA AAATATGCAT	60
CAGITTAATA CIGICTICGA ATTCATGAGA TGGAAGCATA GGTCAAAGOT GTTTGGAGAA	120
ANTCAGAAGT ACAGTTTTAT CTAGCCACAT CTTGGAGGAG TCGTAAGAAA CCAGTGGGAG	180
TIGAAGICAT TGICAAGIGC TIGCGATCIT TIACAAGAAA ATCICACIGA ATGATAGICA	240
TITAAATTGG TGAAGTAGCA AGACCAATTA TTAAAGGTGA CAGTACACAG GAAACATTAC	300
AATTGAACA ATG ACT CAG CTA TAC ATT TAC ATC AGA TTA TTG GGA GCC Het Thr Gln Leu Tyr Ile Tyr Ile Arg Leu Leu Gly Ala 1	348

TAT TTG TTC ATC ATT TCT CGT GTT CAA GGA CAG AAT CTG GAT AGT ATG Tyr Leu Phe Ile Ile Ser Arg Val Gln Gly Gln Asn Leu Asp Ser Het 15

CTT CAT GGC ACT GGG ATG AAA TCA CAC TCC GAC CAG AAA AAG TCA GAA Leu His Gly Thr Gly Met Lys Ser Asp Ser Asp Gln Lys Lys Ser Glu 30 45	444
Leu His Gly Thr Gly Met Lys Ser Asp Ser Asp Gln Lys Lys Ser Glu 30 45	
	492
AAT GGA GTA ACC TTA GCA CCA GAG GAT ACC TTG CCT TTT TTA AAG TGC Asn Gly Val Thr Leu Ala Pro Glu Asp Thr Leu Pro Phe Leu Lys Cys 50 55	
TAT TGC TCA GGG CAC TGT CCA GAT GAT GCT ATT AAT AAC ACA TGC ATA Tyr Cys Ser Gly His Cys Pro Asp Asp Ala Ile Asn Asn Thr Cys Ile 63 70 75	540
ACT AAT GGA CAT TGC TTT GCC ATC ATA GAA GAA GAT GAC CAG GGA GAA Thr Asn Gly His Cys Phe Ala Ile Ile Glu Glu Asp Asp Gln Gly Glu 80 85 90	588
ACC ACA TTA GCT TCA GGG TGT ATG AAA TAT GAA GGA TCT GAT TTT CAG Thr Thr Leu Ala Ser Gly Cys Met Lys Tyr Glu Gly Ser Asp Phe Gln 95	636
TGC AAA GAT TCT CCA AAA CCC CAG CTA CGC CGG ACA ATA GAA TGT TGT Cys Lys Asp Ser Pro Lys Ala Gln Leu Arg Arg Thr Ile Glu Cys Cys 110 125	684
CGG ACC AAT TTA TGT AAC CAG TAT TTG CAA CCC ACA CTG CCC CCT GTT Arg Thr Asn Leu Cys Asn Gln Tys Teu Gln Pro Thr Leu Pro Pro Val	732
GTC ATA GGT CCG TTT TTT GAT GGC AGC ATT CGA TGG CTG GTT TTG CTC Val lie Gly Pro Phe Phe Asp Gly Ser lie Arg Trp Leu Val Leu Leu 145	780
ATT TOT ATG GOT GTC TGC ATA ATT GOT ANG ATC ATC TTC TCC AGC TGC Ile Ser Het Ala Val Cys Ile Ile Ala Het Ile Ile Phe Ser Ser Cys 160	828
TTT TGT TAC AAA CAT TAT TGC AAG AGC ATC TCA AGC AGA CGT CGT TAC Phe Cys Tyr Lys His Tyr Cys Lys Ser Ile Ser Ser Arg Arg Arg Tyr 175	876
AAT CGT GAT TTG GAA CAG GAT GAA GCA TTT ATT CCA GTT GGA GAA TCA Asn Arg Asp Leu Glu Gln Asp Glu Ala Phe Ile Pro Val Gly Glu Ser 190 200	924
CTA AAA GAC CTT ATT GAC CAG TCA CAA AGT TCT GGT AGT GGG TCT GGA Leu Lys Asp Leu 11e Asp Gln Ser Gln Ser Ser Gly Ser Gly 210 215	972
CTA CCT TTA TTG GTT CAG CGA ACT ATT GCC AAA CAG ATT CAG ATG GTC Leu Pro Leu Val Gln Arg Thr Ile Ala Lys Gln Ile Gln Het Val 225	1020
CGG CAA GTT GGT AAA GGC CGA TAT GGA GAA GTA TGG ATG GGC AAA TGG Arg Gln Val Gly Lys Gly Arg Tyr Gly Glu Val Trp Het Gly Lys Trp 240 245	1068
CGT GGC GAA AAA GTG GCG GTG AAA GTA TTC TTT ACC ACT GAA GAA GCC Arg Gly Glu Lys Val Ala Val Lys Val Fhe Phe Thr Thr Glu Glu Ala 255	1116

AGC Ser 270	TGG Trp	Phe	Arg Arg	GAA Glu	ACA Thr 275	GAA Glu	ATC Ile	TAC Tyr	CAA Gln	ACT Thr 280	GTG Val	CTA Leu	ATG	CGC Arg	CAT His 285	116
									GAC Asp 295							121
									TAC Tyr							126
TAT Tyr	GAC Asp	TTC Phe 320	CTG	AAA Lys	CA.	Ala Ala	ACA Thr 325	CTG Leu	GAC Asp	ACC Thr	AGA Arg	GCC Ala 330	CTG Leu	CTT	AAA Lys	130
TTG Leu	GCT Ala 335	TAT Tyr	TCA Ser	GCT Ala	GCC	TOT Cya 340	G1A CCI	CTG Leu	TGC Cys	CAC His	CTG Leu 345	EYC HT2	ACA Thr	GAA Glu	ATT Ile	135
Tyr 350	Gly	Thr	Gln	Gly	Lys 355	Pro	A14	Ile	GCT Ala	His 360	, A rg	Asp	Leu	Lys	ser 365	140
				370					Ser 375					380		145
GCC	CTT Leu	GCT Ala	GTT Val 385	AAA Lys	TTC Phe	AAC Asn	AGT Ser	ĞAC Asp 390	ACA	AAT Asn	GAA Glu	GTT Val	GAT Asp 395	GTG Val	Pro	150
Leu	Asn	Thr 400	Arg	Val	Gly	Thr	Lys 405	Arg	TAC Tyr	Het	Ala \	Pro 410	Glu	Val	Leu	154
GAC Asp	GAA Glu 415	AGC Ser	CTG Leu	AAC Asn	AAA Lys	AAC Asn 420	CAC His	TTC Phe	CAG Gln	CCC Pro	1AC 1XI 425	ATC Ile	ATG Met	GCT Ala	GAC Asp	159
ATC Ile 430	TAC Tyr	AGC Ser	TTC Phe	ejà eec	CTA Leu 435	ATC Ile	ATT Ile	TGG Trp	GAG Glu	ATG Met 440	GCT Ala	yta cei	CGT Arg	TGT Cys	ATC Ile 445	164
ACA Thr	GGA Gly	GGG Gly	ATC Ile	GTG Val 450	GAA Glu	GAA Glu	TAC Tyr	CAA Gln	TTG Leu 455	CCA Pro	TAT Tyr	TYT	AAC	ATG Met 460	GTA Val	169
CCG Pro	AGT Ser	GAT Asp	CCG Pro 465	TCA Ser	TAC Tyr	GAA Glu	GAT Asp	ATG Met 470	CGT	G) G) G)	GTT Val	GTG Val	TGT Cys 475	GTC Val	AAA Lys	174
CGT	TTG Leu	CGG Arg 480	CCA Pro	ATT	GTG Val	TCT Ser	AAT Asn 485) Arg	TGG Trp	AAC Asn	AGT Ser	GAT Asp 490	GAA Glu	CA d	CTA Leu	178
CGA Arg	GCA Ala 495	GTT Val	TTG Leu	AAG Lys	CTA	ATG Met 500	TCA Ser	GAA Glu	TGC Cys	TGG Trp	GCC Ala 505	CAC His	AAT Asn	CCA Pro	A De	183

CC AGA CTC ACA GCA TTG AGA ATT AAG AAG ACG CTT GCC AAG ATG GTT Ser Arg Leu Thr Ala Leu Arg Ile Lys Lys Thr Leu Ala Lys Het Val 515 520 525	1884
TCC CAR GAT GTA ARA ATC TGATGGTTAR ACCATCGGAG GAGARACTCT Slu Ser Gla Asp Val Lys Ile 530	1935
AGACTGCAAG AACTGTTTTT ACCCATGGCA TGGGTGGAAT TAGAGTGGAA TAAGGATGTT	1995
ACTIGGITE TEACHETETT TETTENETAE GIGITENENG GETGETANIN TIANNEETTI	2055
CAGTACTOTT ATTAGGATAC AAGCTGGGAA CTTCTAAACA CTTCATTCTT TATATATGGA	2115
PAGCITIATI TIANATGEGG TITTIGATGC CITTITITAN GIGGGITTIT ATGANCIGCA	2175
CAAGACTTC AATCCTGATT AGTGTCTCCA GTCAAGCTCT GGGTACTGAA TTGCCTGTTC	2235
ATAAAACGGT GCTTTCTGTG AAAGCCTTAA GAAGATAAAT GAGCGCAGCA GAGATGGAGA	2295
NATAGACITI GCCTITTACC TGAGACATTC AGTTCGTTTG TATTCTACCT TTGTAAAACA	2355
CCTATAGAT GATGATGTGT TTGGGATACT GCTTATTTTA TGATAGTTTG TCCTGTGTCC	2415
THAGTGATGT GTGTGTGTCT CCATGCACAT SCACGCCGGG ATTCCTCTGC TGCCATTTGA	2475
ATTAGAAGAA AATAATTTAT ATGCATGCAO AGGAAGATAT TGGTGGCCCG TGGTTTTGTG	2535
TITANANT GCANTATCTG ACCANGATTE GECANTOTCA TACANGCCAT TTACTTTGCA	2595
AGTGAGATAG CTTCCCCACC AGCTTTATTT TTTAACATGA AAGCTGATGC CAAGGCCAAA	2655
AGAAGTITAA AGCATCTGTA AATTTGGACT GTTTTCCTTC AACCACCATT TTTTTTGTGG	2715
TTATTATTTT TGTCACGGAA AGCATCCTCT CCAAAGTTGG AGCTTCTATT GCCATGAACC	2775
ATGCTTACAA AGAAAGCACT TCTTATTGAA GTGAATTOCT GCATTTGATA GCAATGTAAG	2835
TGCCTATAAC CATGTTCTAT ATTCTTTATT CTCAGTAACT TTTAAAAGGG AAGTTATTTA	2895
PATTTTGTGT ATAATGTGCT TTATTTGCAA ATCACCC	2932

(2) INFORMATION FOR SEQ ID NO: 6:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 532 amino acids
 (B) TYPE: amino acid
 (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 6:

Met Thr Gln Leu Tyr Ile Tyr Ile Arg Leu Cly Ala Tyr Leu Phe

Ile Ile Ser Arg Val Gln Gly Gln Asn Leu Asp Ser Met Leu His Gly 20 25 30

Thr Gly Net Lys Ser Asp Ser Asp Gln Lys Lys Ser Glu Asn Gly Val Pro Glu Asp Thr Leu Pro Phe Leu Lys Cys Tyr Cys Ser Gly His Cys Pro Asp Asp Ala Ile Asn Asn Thr Cys Ile Thr Asn Gly 65 70 75 80 His Cys Phe Ala Ile Glu Glu Asp Asp Gln Gly Glu Thr Thr Leu 85. 90 95 Ala Ser Gly Cys Met bys Tyr Glu Gly Ser Asp Phe Gln Cys Lys Asp
100 105 Ser Pro Lys Ala Gln Leu Arg Arg Thr Ils Glu Cys Cys Arg Thr Asn 115 120 125 Leu Cys Asn Gln Tyr Leu Gln Pro Thr Leu Pro Pro Val Val Ile Gly 135 Pro Phe Phe Asp Gly Ser Ile Ard Trp Leu Val Leu Leu Ile Ser Het Ala Val Cys Ile Ile Ala Met Ile Phe Ser Ser Cys Phe Cys Tyr 165 175 Lys His Tyr Cys Lys Ser Ile Ser Ser Arg Arg Arg Tyr Asn Arg Asp 185 Leu Glu Gln Asp Glu Ala Phe Ile Pro Val Gly Glu Ser Leu Lys Asp Leu Ile Asp Gln Ser Gln Ser Ser Gly Ser Gly Leu Pro Leu Leu Val Gln Arg Thr Ile Ala Lys Gln Ile Gln Het Val Arg Gln Val Gly Lys Gly Arg Tyr Gly Glu Val Trp Het Gly Lys Trp Arg Gly Glu Lys Val Ala Val Lys Val Phe Phe Thr Thr Glu Glu Ala\Ser Trp Phe Arg Glu Thr Glu Ile Tyr Gln Thr Val Leu Met Arg His Gl\u00e4 Asn Ile Leu Gly Phe Ile Ala Ala Asp Ile Lys Gly Thr Gly Ser Trp Thr Gln 290 300 Leu Tyr Leu Ile Thr Asp Tyr His Glu Asn Gly Ser Leu Tyr Asp Leu Lys Cys Ala Thr Leu Asp Thr Arg Ala Leu Leu Lys Leu Ala Tyk Ser Ala Ala Cys Gly Leu Cys His Leu His Thr Glu Ile Tyr Gly Thr

(2) INFORMATION FOR SEQ ID NO: 7:

530

- (1) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 2333 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: unknown
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iii) ANTI-SENSE: NO
 - (v) FRAGMENT TYPE: internal
- (vi) ORIGINAL SOURCE:
 (A) ORGANISH: Homo sapiens
- (ix) FEATURE:
 - (A) NAME/KEY: CDS
 - (B) LOCATION: 1..1515

51																
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 7:																
	•	GAG	_									CTT	GTT	GTC	CTC	48
Met 1	Ala	e1n/	Ser	Ala 5	Gly	Ala	Ser	Ser	Phe 10	Phe	Pro	Leu	Val	Val 15	Leu	
CTG Leu	CTC Leu	GCC Ala	GGC Gly 20	AGC Ser	G1Y GCC	GLY	TCC Ser	GGG Gly 25	CCC Pro	CGG Arg	GCG	GTC Val	CAG Gln 30	GCT Ala	CTG Leu	96
CTG Leu	TGT Cys	GCG Ala 35	TGC Cys	ACC	AGC	TGC Cys	CTC Leu 40	CAG Gln	GCC Ala	AAC Asn	TAC Tyr	ACG Thr 45	TGT Cys	GAG Glu	ACA Thr	144
GAT Asp	GGG Gly 50	GCC	TGC Cys	ATG Met	GPT Val	TCC Ser 55	TTT Phe	TTC Phe	AAT Asn	CTG Leu	GAT Asp 60	ely ece	ATG Met	GAG Glu	CAC	192
CAT His 65	GTG Val	CGC Arg	ACC Thr	TGC Cys	ATC Ile 70	Pro	YYY TAN	GTG Val	GYG GJn	CTG Leu 75	GTC Val	CCT Pro	GCC	GGG Gly	Lys 80	240
CCC Pro	TTC Phe	TAC Tyr	TGC Cys	CTG Leu 85	AGC Ser	TCG Ser	GAG Glu		CTG Leu 90	CGC Arg	AAC Asn	ACC Thr	CAC His	TGC Cys 95	TGC Cys	288
TAC Tyr	ACT Thr	GAC Asp	TAC Tyr 100	TGC Cys	AAC Asn	AGG Arg	ATC Ile	GAC Asp 105	T ou	AGG Arg	GTG Val	CCC Pro	AGT Ser 110	GGT Gly	CAC His	336
CTC Leu	AAG Lys	GAG Glu 115	CCT Pro	GJ <i>u</i> G X G	CAC	CCG Pro	TCC Ser 120	ATG Met	TGG Trp	eyA gec	CCG Pro	GTG Val 125	GAG Glu	CTG Leu	GTA Val	384
GGC Gly	ATC Ile 130	ATC Ile	GCC Ala	GGC	CCG Pro	GTG Val 135	TTC Phe	CTC Leu	CTG Leu	TTC Phe	CTC Leu 140	ATC Ile	ATC Ile	ATC Ile	ATT Ile	432
GTT Val 145	TTC Phe	CTT Leu	GTC Val	ATT Ile	AAC Asn 150	TAT Tyr	CAT His	CAG Gln	CGT Arg	GTC Val 155	TAT Tyr	HT.	AAC Asn	CGC Arg	CAG Gln 160	480
AGA Arg	CTG	GAC Asp	ATG Met	GAA Glu 165	GAT Asp	CCC Pro	TCA Ser	TGT Cys	GAG Glu 170	ATG Met	TGT Cys	CTC	Ser Acc	Lys 175	GAC Asp	528
AAG Lys	ACG Thr	CTC Leu	CAG Gln 180	GAT Asp	CTT	GTC Val	TAC Tyr	GAT Asp 185	CTC Leu	TCC	ACC Thr	TCA Ser	GGG Gly 190	zer zer	Gly	576
TCA Ser	GGG	TTA Leu 195	CCC Pro	CTC Leu	TTT	GTC Val	CAG Gln 200	CGC Arg	ACA Thr	GTG Val	GCC	CGA Arg 205	ACC Thr	ATC	Val	524
TTA Leu	CAA Gln 210	GAG Glu	ATT Ile	ATT	GJ Y GGC	AAG Lys 215	GGT Gly) Arg	TTT Phe	eja Gee	GAA Glu 220	GTA Val	TGG Trp	CGG Arg	età/ eeg	672

CGC Arg 225	III	AGG Arg	gly GGT	GCT Gly	GAT Asp 230	GTG Val	GCT Ala	GTG Val	AAA Lys	ATA Ile 235	TTC Phe	TCT Ser	TCT Ser	CGT Arg	GAA Glu 240	720
GAA Glu	CGG Arg	SOL	TGG Trp	TTC Phe 245	agg arg	GAA Glu	GCA Ala	GAG Glu	ATA Ile 250	TAC Tyr	CAG Gln	ACG Thr	GTC Val	ATG Het 255	CTG Leu	768
CGC	CAT His	GAA Glu	2AC Asn 260	ATC Ile	CTT Leu	GGA Gly	TTT	ATT 11e 265	GCT Ala	SCT Ala	GAC Asp	AAT Asn	AAA Lys 270	GAT Asp	AAT Asd	816
GGC Gly	ACC Thr	TGG Trp 275	ACA Thr	CAG Gln	CTG Leu	TGG Trp	CTT Leu 280	GTT Val	TCT Ser	GAC Asp	TAT Tyr	CAT His 285	GAG Glu	CAC	gg Gly	864
TCC Ser	CTG Leu 290	TTT Phe	GAT Asp	TAT Tyr	reh gie	AAC Asn 295	y CCC CCC	TAC Tyr	ACA Thr	GTG Val	ACA Thr 300	ATT Ile	GJu GXG	età ece	ATG Net	912
ATT Ile 305	AAG Lys	CTG Leu	GCC Ala	TTG Leu	TCT Ser 310	y1,6	GCT Ala	AGT Ser	GGG Gly	CTG Leu 315	GCA Ala	CAC	CTG Leu	CAC	ATG Met 320	960
GAG Glu	ATC Ile	GTG Val	GCC	ACC Thr 325	CAA Gln	ely ecc	A C	Pro	GGA Gly 330	ATT Ile	GCT Ala	CAT His	œλ Arg	GAC Asp 335	TTA Leu	1008
AAG Lys	TCA Ser	AAG Lys	AAC Asn 340	ATT Ile	CTG Leu	GTG Val	AAG Lys	AAA Lye 345	AAT Asn	GLY	ATG Met	TGT Cys	GCC Ala 350	ATA Ile	GCA Ala	1056
GAC Asp	CTG Leu	GGC Gly 355	CTG Leu	GCT Ala	GTC Val	CGT Arg	CAT His 360	GAT Asp	A16	GTC Val	ACT Thr	GAC Asp 365	ACC Thr	ATT Ile	gyc Yab	1104
ATT	GCC Ala 370	ccc Pro	AAT Asn	CAG Gln	AGG Arg	GTG Val 375	gly ecc	ACC Thr	AAA Lys	SA AFQ	TAC Tyr 380	ATG Het	GCC Ala	CCT Pro	GAA Glu	1152
GTA Val 385	CTT	GAT Asp	GAA Glu	ACC Thr	ATT 11e 390	AAT Asn	ATG Net	AAA Lys	His	TTT Pho 395	GÀC A≅P	TCC Ser	TTT Pho	AAA Lys	TGT Cys 400	1200
GCT Ala	GAT Abp	ATT Ile	TAT Tyr	GCC Ala 405	CTC Leu	G1y GGG	CTT Leu	GTA Val	TAT Tyr 410	TGG Trp	GAG Glu	119	GCT Ala	CGA Arg 415	AGA Arg	1248
TGC Cys	AAT Asn	TCT Ser	GGA Gly 420	Gly	GTC Val	CAT His	GAA Glu	GAA Glu 425	TAT Tyr	CAG Gln	CTG Leu	CCA Pro	131 135 430	TAC Tyr	Asp GAC	1296
TTA Leu	GTG Val	CCC Pro 435	TCT Ser	ABP Gyc	CCT Pro	TCC Ser	ATT Ile 440	GAG Glu	GAA Glu	ATG Ket	CGA Arg	AAG Lys 445	GTT Val	GTA Val	TGT Cys	1344
GAT Asp	CAG Gln 450	AAG Lys	CTG Leu	CGT Arg	CCC Pro	AAC Asn 455	ATC Ile	CCC Pro	AAC Asn	TGG Trp	TGG Trp 460	CAG Gln	AGT Ser	TAT Tyr	etn eve	1392

\	
GCA CTG CGG GTG ATG GGG AAG ATG ATG CGA GAG TGT TGG TAT GCC AAC Ala Leu Arg Val Het Gly Lys Het Met Arg Glu Cys Trp Tyr Ala Asn 465 470 475 480	1440
GGC GCA GCC CTG ACG GCC CTG CGC ATC AAG AAG ACC CTC TCC CAG Gly Ala Ala Arg Leu Thr Ala Leu Arg Ile Lys Lys Thr Leu Ser Gln 485 490 495	1488
CTC AGC GTG CAG GAA GAC GTG AAG ATC TAACTGCTCC CTCTCTCCAC Leu Ser Val Gln Glu Asp Val Lys Ile 500 505	1535
ACGGAGCTCC TGGCAGCGAG AACTACGCAC AGCTGCCGCG TTGAGCGTAC GATGGAGGCC	1595
TACCTCTCGT TTCTGCCCAG CCCTCTGTGG CCAGGAGCCC TGGCCCGCAA GAGGGACAGA	1655
GCCCGGGAGA GACTCGCTCA CTCCCATGTT GGGTTTGAGA CAGACACCTT TTCTATTTAC	1715
CTCCTAATGG CATGGAGACT CTCAGAGCGA ATTGTGTGGA GAACTCAGTG CCACACCTCC	1775
AACTGGTTGT AGTGGGAAGT CCCGCGAAAC CCGGTGCATC TGGCACGTGG CCAGGAGCCA	1835
TGACAGGGG GCTTGGGAGG GGCCGGAGGA ACCGAGGTGT TGCCAGTGCT AAGCTGCCCT	1895
GAGGGTTTCC TTCGGGGACC AGCCCACAGC ACACCAAGGT GGCCCGGAAG AACCAGAAGT	1955
GCAGCCCCTC TCACAGGCAG CTCTGAGCCG CGCTTTCCCC TCCTCCCTGG GATGGACGCT	2015
GCCGGGAGAC TGCCAGTGGA GACGGAATCT GCCCCTTTGT CTGTCCAGCC GTGTGCAT	2075
GTGCCGAGGT GCCTCCCCC TTGTGCCTGG TTCGTGCCAT GCCCTTACAC GTGCGTGTGA	2135
GTGTGTGTGT GTGTCTGTAG GTGCCCACTT ACCTGCTTGA GCTTTCTGTG CATGTGCAGG	2195
TEGGGGGTGT GGTCGTCATG CTGTCCGTGC TTGCTGGTGC CTCTTTTCAG TAGTGAGCAG	2255
\	
CATCTAGTTT CCCTGGTGCC CTTCCCTGGA GGTCTCTCGC TCCCCCAGAG CCCCTCATGC	2315
CACAGTGGTA CTCTGTGT \	2333

(2) INFORMATION FOR SEQ ID NO: 8:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 505 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 8:

Met Ala Glu Ser Ala Gly Ala Ser Ser Phe Phe Pro Leu Val Val Leu

Leu Leu Ala Gly Ser Gly Gly Ser Gly Pro Arg Gly Val Gln Ala Leu 20 25 30

Ala Cye Thr Ser Cys Leu Gln Ala Asn Tyr Thr Cys Glu Thr 35 40 45 Asp Gly Ala Cys Met Val Ser Phe Phe Asn Leu Asp Gly Met Glu His His Val Arg Thr Cys Ile Pro Lys Val Glu Leu Val Pro Ala Gly Lys Pro Phe Tyr Cys Deu Ser Ser Glu Asp Leu Arg Asn Thr His Cys Cys Tyr Thr Asp Tyr Cys asn Arg Ile Asp Leu Arg Val Pro Ser Gly His Leu Lys Glu Pro Glu His Pro Ser Met Trp Gly Pro Val Glu Leu Val Gly Ile Ile Ala Gly Pro Val Phe Leu Leu Phe Leu Ile Ile Ile Ile Val Phe Leu Val Ile Asn Tyr Him Glm Arg Val Tyr His Asn Arg Gln Arg Leu Asp Met Glu Asp Pro Ser Of Glu Met Cys Leu Ser Lys Asp Lys Thr Lou Gln Asp Lou Val Tyr Asp Lou Ser Thr Ser Gly Ser Gly Ser Gly Leu Pro Leu Phe Val Gln Arg Thr Wal Ala Arg Thr Ile Val Leu Gln Glu Ile Ile Gly Lys Gly Arg Phe Gly Glu Val Trp Arg Gly 210 225 Arg Trp Arg Gly Gly Asp Val Ala Val Lys Ile Pha Ser Ser Arg Glu 225 230 240 Glu Arg Ser Trp Phe Arg Glu Ala Glu Ile Tyr Gln Thr Val Met Leu Arg His Glu Asn Ile Leu Gly Phe Ile Ala Ala Asp Asn Lys Asp Asn Gly Thr Trp Thr Gln Leu Trp Leu Val Ser Asp Tyr His Glu His Gly 275 280 285 Ser Leu Phe Asp Tyr Leu Asn Arg Tyr Thr Val Thr Ile Glu Gly Met 290 300 Ile Lys Leu Ala Leu Ser Ala Ala Ser Gly Leu Ala His Leu His Net Glu Ile Val Gly Thr Gln Gly Lys Pro Gly Ile Ala His Arg Asp Leu Lys Ser Lys Asn Ile Leu Val Lys Lys Asn Gly Het Cys Ala Ile Ala

Asp Leu Gly ou Ala Val Arg His Asp Ala Val Thr Asp Thr Ile Asp 355

Ile Ala Pro Ann Gln Arg Val Gly Thr Lys Arg Tyr Met Ala Pro Glu

Val Leu Asp Glu Thr Ile Asn Net Lys His Phe Asp Ser Phe Lys Cys 385 390

Ala Asp Ile Tyr Ala Leu Gly Leu Val Tyr Trp Glu Ile Ala Arg Arg

Cys Asn Ser Gly Gly Val His Glu Glu Tyr Gln Leu Pro Tyr Tyr Asp 420 425

Lou Val Pro Ser Asp Pro Ser Ile Glu Glu Met Arg Lys Val Val Cys

Asp Gln Lys Leu Arg Pro Ash Ile Pro Asn Trp Trp Gln Ser Tyr Glu

Ala Leu Arg Val Met Gly Lys Met Met Arg Glu Cys Trp Tyr Ala Asn 465 470 480 465 47Ō

Gly Ala Ala Arg Leu Thr Ala Leu/Arg Ile Lys Lys Thr Leu Ser Gln

Leu Ser Val Gln Glu Asp Val Lys Ile 500

(2) INFORMATION FOR SEQ ID NO: 9:

- (1) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 2308 base pairs

 - (B) TYPE: nucleic acid (C) STRANDEDNESS: unknown
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: CDNA
- (iii) HYPOTHETICAL: NO
- (iii) ANTI-SENSE: NO
 - (v) FRAGMENT TYPE: internal
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: Mouse
- (ix) FEATURE:
 - (A) NAME/REY: CDS
 - (B) LOCATION: 77..1585
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 9:

GCCGAGGCGA GGTTTGCTGG GGTGAGGCAG CGGCCGGGCC GGGCCGAGAGAGAG

ccc	TGGC	æge	GGGA	K 30.	TG G let G	AG G lu A	ice e	ice e	TC G	CT G	CT C	cc c	GT C	ecc o Pro A 10	xcc urg	109
CTG Leu	CTC	Leu	Leu Leu ETC	Val	CTG Leu	GCG	GCG	GCG Ala 20	Ala	GCG Ala	GCG	GCG	GCG Ala 25	Ala	CTG Leu	15:
CTC Leu	CCG Pro	GGG Gly 30	Ala	Thr.	GCG Ala	T1'A Lou	CAG Gln 35	Cys	TTC	Cys TGC	CAC	CTC Leu 40	Cys	ACA	Lys	20
GAC Asp	AAT Asn 45	Phe	ACT	Cys	NeT CIC	ACA Thr 50	yeb	GGG	CTC	TGC Cys	TTT Phe 55	GTC Val	TCT	GTC Val	ACA Thr	253
GAG Glu 60	ACC	ACA	GAC Asp	Lys	GTT Val 65	#1 •	CAC	AAC Asn	AGC Ser	ATG Met 70	TGT Cys	ATA Ile	GCT Ala	GAA Glu	Ile 75	301
GAC Asp	TTA	ATT	Pro	CGA Arg 80	Asp	AGG Arg	yto cœ	Pho	GTA Val 85	TGT Cys	GCA Ala	CCC	TCT	TCA Ser 90		349
ACT Thr	GGG	TCT	GTG Val 95	Thr	ACA Thr	ACA Thr	TAT	**************************************	TGC Cys	AAT Asn	CAG Gln	GAC Asp	CAT His 105	Cys	AAT Asn	397
AAA Lys	ATA	GAA Glu 110	CTT	CCA Pro	ACT	ACT Thr	GTA Val 115	AAG Lys	TCA Ser	TCA Ser	CCT Pro	GGC Gly 120	CTT Leu	GGT Gly	CCT Pro	445
GTG Val	GAA Glu 125	CTG	GCA Ala	GCT Ala	GTC Val	ATT 110 130	GCT Ala	GGA Gly	CCA Pro	NAT PIC	TGC Cys 135	TTC Phe	GTC Val	TGC Cys	ATC Ile	493
TCA Ser 140	CTC Leu	ATG Met	TTG	ATG Met	GTC Val 145	TAT Tyr	ATC Ile	TGC Cys	CAC His	AAC Asn 150	Arg Arg	ACT Thr	GTC Val	ATT	CAC His 155	541
CAT His	CGA Arg	GTG Val	CCA Pro	AAT Asn 160	GAA Glu	GAG Glu	GAC Asp	CCT Pro	TCA Ser 165	TTA Leu	GAT Asp	YEA GCC	CCT Pro	TTT Phe 170	ATT	589
TCA Ser	GAG Glu	GGT Gly	ACT Thr 175	ACG Thr	TTG Leu	AAA Lys	GAC Asp	TTA Leu 180	ATT Ile	TAT Tyr	GAT Asp	ATG Het	ACA Thr 185	ACG Thr	TCA Ser	637
GGT Gly	TCT Ser	GGC Gly 190	TCA Ser	GGT Gly	TTA Lou	CCA Pro	TTG Leu 195	CTT Leu	GTT Val	CAG Gln	AGA Arg	ACA Thr 200	ATT Ile	yra cce	λGλ λrg	685
ACT Thr	ATT Ile 205	GTG Val	TTA Leu	CAA Gln	GAA Glu	AGC Ser 210	ATT Ile	Gly	AAA Lys	GGT Gly	CGA Arg 215	TTT Phe	GGA Gly	GAA Glu	GTT Val	733
TGG Trp 220	AGA Arg	GGA Gly	AAG Lys	TGG Trp	CGG Arg 225	GGA Gly	GAA Glu	G AA Glu	CTT Val	GCT Ala 230	GTT Val	AAG Lys	ATA Ile	TTC Phe	7CC Ser 235	781

TCT Ser	yt.c	GAA Glu	GAA Glu	CGT Arg 240	Ser	TGG	TTC Phe	CGT Arg	GAG Glu 245	GCA Ala	GAG Glu	ATT	TAT	CAA Gln 250	ACT	829
GTA Val	ATG Met	Lau	Arg 255	HIS	GAA Glu	AAC	ATC	CTG Leu 260	Cly	TTT Phe	ATA Ile	GCA Ala	GCA Ala 265	GAC Asp	AAT Ass	877
AAA Lys	GAC Asp	AAT Asn 270	C JA	ACT Thr	TGG	ACT	CAG Gln 275	CTC	TGG	TTG Leu	GTG Val	TCA Ser 280	GAT Asp	TAT	CAT His	925
GAG Glu	CAT His 285	GGA	TCC	red	TTT Phe	GAT Asp 290	TAC Tyr	TTA Leu	AAC	AGA Arg	TAC Tyr 295	ACA Thr	GTT Val	ACT	GTG Val	973
GAA Glu 300	GGA Gly	ATG Het	ATA Ile	AAA Lys	CTT Leu 305	GCT Ala	CTG Leu	TCC Ser	ACG Thr	GCG Ala 310	AGC Ser	GGT Gly	CTT	GCC	CAT His 315	1021
Leu	His	Met	Glu	11e 320	GTT Val	C1Å	Thr \	Gln	Gly 325	Lys	Pro	Ala	Ile	330	His	1069
AGA Arg	GAT Asp	TTG Leu	AAA Lys 335	TCA Ser	AAG Lys	AAT Asn	IN	Leu 140	GTA Val	AAG Lys	AAG Lys	AAT Asn	GGA Gly 345	ACT Thr	TGC Cys	1117
TGT Cys	ATT	GCA Ala 350	GAC Asp	TTA Leu	GGA Gly	CTG Leu	GEA Ala 355	VA1	AGA Arg	CAT His	GAT Asp	TCA Ser 360	GCC Ala	ACA Thr	GAT Asp	1165
ACC Thr	ATT Ile 365	GAT Asp	ATT Ile	GCT Ala	CCA Pro	AAC Asn 370	CAC His	AGA Arg	AST CIC	GGA Gly	ACA Thr 375	AAA Lys	AGG Arg	TAC Tyr	ATG Het	1213
GCC Ala 380	CCT Pro	GAA Glu	GTT Val	CTC Leu	GAT Asp 385	GAT Asp	TCC Ser	ATA Ile	AAT Asn	ATG Met 390	AAA Lys	CAT	TTT Phe	GAA Glu	TCC Ser 395	1261
TTC Phe	AAA Lys	CGT	GCT Ala	GAC Asp 400	ATC Ile	TAT Tyr	GCA Ala	ATG Met	GGC Gly 405	TTA Leu	N#1 CIY	TTC Phe	TGG Trp	GAA Glu 410	ATT Ile	1309
GCT Ala	CGA Arg	CGA Arg	TGT Cys 415	TCC Ser	ATT Ile	GGT Gly	GGA Gly	ATT Ile 420	CAT	GAA Glu	GAT \	TAC	CAA Gln 425	CTG	CCT Pro	1357
TAT Tyr	TAT Tyr	GAT Asp 430	CTT Leu	GTA Val	CCT Pro	TCT Ser	GAC Asp 435	CCA Pro	TCA Ser	GTT Val	GAA Glu	GAA Glu 440	Ker VIC	AGA Arg	AAA Lys	1405
					aag Lys					Ile						1453
AGC Ser 460	TGT Cys	GAA Glu	GCC Ala	TTG Leu	AGA Arg 465	GTA Val	ATG Met	gct Ala	AAA Lys	ATT Ile 470	ATG Met	AGA Arg	GAA Glu	Cys/ ICh	TGG Trp 475	1501



TAT GCC AAT GGA GCA GCT AGG CTT ACA GCA TTG CGG ATT AAG AAA ACA Tyr Als Asn Gly Ala Ala Arg Leu Thr Ala Leu Arg Ile Lys Lys Thr 480 485 490	1549
TTA TCG CAA CTC AGT CAA CAG GAA GGC ATC AAA ATG TAATTCTACA Leu Ser Gln Leu Ser Gln Gln Glu Gly Ile Lys Met 495	1595
GCTTTGCCTG AACTCTCCTT TTTTCTTCAG ATCTGCTCCT GGGTTTTAAT TTGGGAGGTC	1655
AGITGITCIA CCICACICAG AGGGAACAGA AGGAIAITGC ITCCTITTGC AGCAGIGIAA	1715
TARAGICARI TARARACTIC CCAGGATTIC ITTGGACCCA GGARACAGCC ATGIGGGTCC	1775
TITCTGTGCA CTATGAACGC TTCTTTCCCA GGACAGAAAA TGTGTAGTCT ACCTTTATTT	1835
TITATIAACA AAACITGITI TITAAAAAGA TGATTGCTGG TCTTAACTIT AGGTAACTCT	1895
GETETECTEG AGATCATETT TANGEGEANA GEAGTTEGAT TECTEANTTA CANTENANCA	1955
TGTCTTATTA CTAAGAAAG TGATTACTC CTGGTTAGTA CATTCTCAGA GGATTCTGAA	2015
CCACTAGAGT TTCCTTGATT CAGACTITGA ATGTACTGTT CTATAGTTTT TCAGGATCTT	2075
AAAACTAACA CTTATAAAAC TCTTATCTTÇ AGTCTAAAAA TGACCTCATA TAGTAGTGAG	2135
GAACATAATT CATGCAATTG TATTTTGTAT ACCATTATTG TTCTTTCACT TATTCAGAAC	2195
ATTACATGCC TTCAAAATGG GATTGTACTA TAOCAGTAAG TGCCACTTCT GTGTCTTTCT	2255
AATGGAAATG AGTAGAATTG CTGAAAGTCT CTATGTTAAA ACCTATAGTG TTT	2308

(2) INFORMATION FOR SEQ ID NO: 10:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 503 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 10:

Met Glu Ala Ala Val Ala Ala Pro Arg Pro Arg Leu Leu Leu Val

Leu Ala Ala Ala Ala Ala Ala Ala Ala Leu Leu Pro Gly Ala Thr 20 25 30

Ala Leu Gln Cys Phe Cys His Leu Cys Thr Lys Asp Asn Rhe Thr Cys 40 45

Val Thr Asp Gly Leu Cys Phe Val Ser Val Thr Glu Thr Thr Asp Lys
50 55 60

Val Ile His Asn Ser Het Cys Ile Ala Glu Ile Asp Leu Ile Pro Arg
65 70 75 80

Phe Val Cys Ala Pro Ser Ser Lys Thr Gly Ser Val Thr 85 90 Asp Arg Pro Thr Thr Tyr Cys Cys Asn Gln Asp His Cys Asn Lys Ile Glu Leu Pro Thr Thr Val Lys Ser Ser Pro Gly Leu Gly Pro Val Glu Leu Ala Ala Val Ile Ala Gly Pro Val Cys Phe Val Cys Ile Ser Leu Met Leu Met Val Tyr Ile Cys His Agn Arg Thr Val Ile His His Arg Val Pro Asn Glu Glu Asp Pro Ser Leu Asp Arg Pro Phe Ile Ser Glu Gly Thr Thr Leu Lys Asp Leu Ile Tyr Asp Met Thr Thr Ser Gly Ser Gly Leu Pro Leu Leu Val Gln Arg Thr Ile Ala Arg Thr Ile Val Leu Gln
195 206 205 Glu Ser Ile Gly Lys Gly Arg Phe Gly Glu Val Trp Arg Gly Lys Trp 210 225 Arg Gly Glu Glu Val Ala Val Lys ITe Phe Ser Ser Arg Glu Glu Arg Ser Trp Phe Arg Glu Ala Glu Ile Tyr Gln Thr Val Met Leu Arg His Glu Asn Ile Leu Gly Phe Ile Ala Ala Asp Asn Lys Asp Asn Gly Thr Trp Thr Gln Leu Trp Leu Val Ser Asp Tyr His Glu His Gly Ser Leu Phe Asp Tyr Leu Asn Arg Tyr Thr Val Thr Val Glu Gly Het Ile Lys Leu Ala Leu Ser Thr Ala Ser Gly Leu Ala His Leu His Met Glu Ile 305 Val Gly Thr Gln Gly Lys Pro Ala Ile Ala His Arg Ask Leu Lys Ser Lys Asn Ile Leu Val Lys Lys Asn Gly Thr Cys Cys Ile Ala Asp Leu Gly Leu Ala Val Arg His Asp Ser Ala Thr Asp Thr Ile Asp\Ile Ala Pro Asn His Arg Val Gly Thr Lys Arg Tyr Het Ala Pro Glu Val Leu Asp Asp Ser Ile Asm Met Lys His Phe Glu Ser Phe Lys Arg Ala Asp

110	Tyr	Ala	Ket	Gly 405	Leu	Val	Phe	Trp	Glu 410	Ile	Ala	Arg	Arg	Cys 415	Ser	
Ile	Gly	Gly	11 42q	His	Glu	Asp	Tyr	Gln 425	Leu	Pro	Tyr	Tyr	Asp 430	Leu	Val	
Pro	Ser	Asp 435	Pro	Ser	Val	Glu	Glu 440	Het	Arg	Lys	Val	Val 445	Cys	Glu	Gln	
Lys	Leu 450	Arg	Pro	Yey	Ile	Pro 455	λsn	Arg	Trp	Gln	Ser 460	Cys	Glu	Ala	Leu	
Arg 465	Val	Met	Ala	Lys	470	Het	Arg	Glu	Cys	Trp 475	Tyr	Ala	Asn	Gly	Ala 480	
Ala	Arg	Leu	Thr	Ala 485	Leu	Arg	Ile	Lys	Lys 490	Thr	Leu	Ser	Gln	Leu 495	Ser	
Gln	Gln	Glu	Gly 500	Ile	Lys	Mec										
(2)	INF	ORMA!	rion	FOR	SEQ	ID 1	Ng: :	11:								
	(i	` (1 (1	A) LI B) Ti C) Si	engti Ype : Irani	HARAC B: 19 nuc: DEDNI OGY:	922 l leic ESS:	esaci acio unku	d pai:	r s							
	(ii) MO	LECU	LE T	YPE:	CDN	A .	'	\mathcal{A}							
	(iii) HY	POTH	ETIC	AL: I	NO			K							
	(iii) AN	TI-S	ens e	: NO				\	\						
	(v) FR	agme:	NT T	YPE:	int	erna	1								
	(vi) OR	IGIN A) O	al s Rgan	OURC	E: Mou	5 e			/	\					
	(ix	(ATUR A) N B) L	AME /	KEY: ION:	CDS 241	17	46								
	(xi) SE	QUEN	CE D	escr	IPTI(ON:	SEQ	ID N	O: 1	1:					•
GAG	AGCA	CAG	CCCT	TCCC	AG T	ccc	GGAG	c œ	cœc	GCCA	œc	egke	ATG .	ATCA	agacci	. 60
TTT	cccc	GGC	CCCA	CAGG	ec c	TCTG	GACG	T GA	GACC	cccc	CCG	ccif	ccc .	AAGG	AGAGGG	120
GGG	GGTC	GAG	TCGC	CCTG	TC C	AAAG	GCCT	C AA	TCTA	AACA	ATC	TTGA	41C	CTGT	TGCCGG	180
CTG	cccc	GAC	CCTG	aatg	GC A	GGAA	ATCT	C AC	CACA	TCTC	TTC	TCCT	A TC	TCCA	AGGACC	240
ATG Het 1	Thr	TTG	GCG	AGC Ser 5	Phe	AGA Arg	λGG λrg	GCC	CTT Leu 10	Leu	ATG Het	CTG Leu	TOS	GTG Val 15	GCC Ala	281

															AAC Asn	336
														GGG Gly		384
														CAG Gln		432
														CGT Arg		480
														AAC Asn 95		528
														GAG Glu	CCA Pro	576
GAA Glu	GTT Val	GAT Asp 115	GCC Ala	CAT His	CTG Leu	CCT Pro	CTG Leu 120	ATC Tie	CTG Leu	GGT Gly	CCT Pro	GTG Val 125	CTG	GCC Ala	TTG Leu	624
CCG Pro	GTC Val 130	CTG Leu	GTG Val	GCC Ala	CTG Leu	GGT Gly 135	GCT Ala	Ten C10	GLY	TTG Leu	TGG Trp 140	CGT Arg	GTC Val	CGG Arg	Arg	672
AGG Arg 145	CAG Gln	GAG Glu	AAG Lys	CAG Gln	CGG Arg 150	GAT Asp	TTG Leu	HT: CYC,	AGT	GAC Asp 155	CTG Leu	gly gc	GAG Glu	TCC Ser	AGT Ser 160	720
														GAC Asp 175		768
														TTC Phe		816
														GTG Val		864
AAG Lys	GGC Gly 210	CGA Arg	TAT Tyr	Gly	GAG Glu	GTG Val 215	TGG Trp	CGC Arg	GGT Gly	TCG Ser	TGG Trp 220	H/TB CVI	Gly GCC	GAA Glu	AGC Ser	912
GTG Val 225																960
														ATC Ile 255		1008

Gly	TTC Phe	I/t•	GCC Ala 260	TCC Ser	GAC Asp	ATG Het	ACT Thr	TCG Ser 265	egg Arg	AAC Asn	TCG Ser	AGC Ser	ACG Thr 270	CAG Gln	CTG Leu	1056
TGG Trp	CTC Leu	ATC 11e 275	Apr	HIS	TAC Tyr	CAT	GAA Glu 280	CAC His	GGC	TCC Ser	CTC Leu	TAT Tyr 285	GAC As p	TTT Phe	CTG Leu	1104
CAG Gln	AGG Arg 290	CAG Gln	The	ren C10	GAG Glu	CCC Pro 295	CAG Gln	TTG	GCC	CTG Leu	AGG Arg 300	CTA Leu	GCT Ala	GTG Val	TCC Ser	1152
CCG Pro 305	GCC Ala	TGC Cys	GGC Gly	CIG	710 VI = CCC	CYC	CTA Leu	CAT His	GTG Val	GAG Glu 315	ATC Ile	TTT Phe	GGC	ACT Thr	CAA Gln 320	1200
GCG	AAA Lys	CCA Pro	GCC Ala	ATT 11e 325	V) a	CAT	CGT Arg	yab gyc	CTC Leu 330	AAG Lys	AGT Ser	Arg	AAT Asd	GTG Val 335	CTG Leu	1248
Val	Lys	Ser	Asn 340	Leu	Gln	Cys	cife	ATT Ile 345	Ala	yab	Leu	Gly	Leu 350	YIE	Val	1296
ATG Met	CAC His	TCA Ser 355	CAA Gln	AGC Ser	AAC Asn	GAG Glu	TAC Tyr 360	Lei	GAT Asp	ATC Ile	GGC	AAC Asn 365	aca Thr	CCC Pro	CGA Arg	1344
GTG Val	GGT Gly 370	ACC Thr	AAA Lys	AGA Arg	TAC Tyr	ATG Met 375	GCA Ala	Pro	CYG CYG	A*J	CTG Leu 380	GAT Asp	GAG Glu	CAC His	ATC Ile	1392
CGC Arg 385	ACA Thr	GAC Asp	TGC Cys	TTT	GAG Glu 390	TCG Ser	TAC Tyr	AAG Lys	TCG	ACA Thr 395	SAC	ATC	TGG Trp	GCC Ala	Phe 400	1440
GCC	CTA Leu	GTG Val	CTA Leu	TGG Trp 405	GAG Glu	ATC	GCC Ala	CGG Arg	CGG Arg 410	ACC Thr	ATC 110	ATC.	AAT Asd	GGC Gly 415	ATT Ile	1488
GTG Val	GAG Glu	GAT Asp	TAC Tyr 420	AGG Arg	Pro	CCT Pro	TTC Phe	TAT Tyr 425	yab	ATG Met	GTA Val	Pro	AAT ABD 430	GAC Asp	Pro	1536
AGT Ser	TTT Phe	GAG Glu 435	Asp	ATG Met	AAA Lys	AAG Lys	GTG Val 440	GTG Val	TGC Cys	GTT Val	GAC Asp	CAG Gln 445	CAG Gln	ACA	Pro	1584
ACC Thr	ATC Ile 450	Pro	AAC	CGG Arg	CTG Leu	GCT Ala 455	GCA Ala	GAT Asp	Pro	GTC Val	CTC Leu 460	Ser	GGG	Len	Ala	1632
CAG Gln 465	Met	ATG Met	AGA Arg	GAG Glu	TGC Cys 470	Trp	TAC Tyr	CCC Pro	AAC Asn	CCC Pro 475	TCT	GCT	Arg	CTC	ACC Thir 480	1680
GCA Ala	CTG	CGC	ATA Ile	AAG Lys 485	Lys	ACA Thr	TTG Leu	CAG Gln	AAG Lys 490	Leu	AGT Ser	CAC	AAT	CCA Pro 495	GAG Clu	1728

ANG CCC ANA GTG ATT CAC TAGCCCAGGG CCACCAGGCT TCCTCTGCCT

LYS PEO LYS Val 110 His
500

ANAGTGTGTG CTGGGGAAGA AGACATAGCC TGTCTGGGTA GAGGGAGTGA AGAGAGTGTG

CACGCTGCCC TGTGTGTGCC TGCTCAGCTT GCTCCCAGCC CATCCAGCCA AAAATACAGC

1896
TGAGCTGAAA TTCAAAAAAA AAAAAA

(2) INFORMATION FOR SEQ ID NO: 12:

- (1) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH' 502 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY linear
- (ii) MOLECULE TYPE: Protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 12:

Met Thr Leu Gly Ser Phe Arg Arg Gly Leu Leu Het Leu Ser Val Ala 1 5 10 15

Leu Gly Leu Thr Gln Gly Arg Leu Lys Pro Ser Lys Leu Val Asn 20

Cys Thr Cys Glu Ser Pro His Cys Lys Arg Pro Phe Cys Gln Gly Ser

Trp Cys Thr Val Val Leu Val Arg Glu Gla Gly Arg His Pro Gln Val 50 60

Tyr Arg Gly Cys Gly Ser Leu Asn Gln Glu Lau Cys Leu Gly Arg Pro
65 75 80

Thr Glu Phe Leu Asn His His Cys Cys Tyr Arg Ser Phe Cys Asn His 85 90 95

Asn Val Ser Leu Met Leu Glu Ala Thr Gln Thr Pro Ser Glu Glu Pro 100 105 110

Glu Val Asp Ala His Leu Pro Leu Ile Leu Gly Pro Val Leu Ala Leu 115 120 125

Pro Val Leu Val Ala Leu Gly Ala Leu Gly Leu Trp Arg Val Arg Arg 13C 135

Arg Gln Glu Lys Gln Arg Asp Leu His Ser Asp Leu Gly Glu Ser Ser 145 150 155 160

Leu Ile Leu Lys Ala Ser Glu Gln Ala Asp Ser Het Leu Gly Asp\Phe

Leu Asp Ser Asp Cys Thr Thr Gly Ser Gly Ser Gly Leu Pro Phe Leu 180 185 190

Gln Arg Thr Val Ala Arg Gln Val Ala Leu Val Glu Cys Val Gly 200 Lys Gly Arg Tyr Gly dlu Val Trp Arg Gly Ser Trp His Gly Glu Ser Val Ala Val Lys Ile Phe Ser Ser Arg Asp Glu Gln Ser Trp Phe Arg Glu Thr Glu Ile Tyr Acn Thr Val Leu Leu Arg His Asp Asn Ile Leu 245 250 255 Gly Phe Ile Ala Ser Asp Met Thr Ser Arg Asn Ser Ser Thr Gln Leu Trp Leu Ile Thr His Tyr His Glu His Gly Ser Leu Tyr Asp Phe Leu 275 280 285 Gin Arg Gin Thr Leu Glu Pro Gin Leu Ala Leu Arg Leu Ala Val Ser 295 Pro Ala Cys Gly Leu Ala His Leu His Val Glu Ile Phe Gly Thr Gln Cly Lys Pro Ala Ile Ala His Arg Asp Leu Lys Ser Arg Asn Val Leu 335 Val Lys Ser Asn Leu Gln Cys Cys Ile Ala Asp Leu Gly Leu Ala Val 345 Het His Ser Gln Ser Asn Glu Tyr Leu Asp \le Gly Asn Thr Pro Arg Val Gly Thr Lys Arg Tyr Het Ala Pro Glu Val Leu Asp Glu His Ile Arg Thr Asp Cys Phe Glu Ser Tyr Lys Trp Thr Asp Ile Trp Ala Phe Cly Leu Val Lou Trp Glu Ile Ala Arg Arg Thr Ile Ile Asn Gly Ile Val Glu Asp Tyr Arg Pro Pro Phe Tyr Asp Het Val\ Pro Asn Asp Pro Ser Phe Glu Asp Met Lys Lys Val Val Cys Val Asp dln Gln Thr Pro Thr lie Pro Asn Arg Leu Ala Ala Asp Pro Val Leu Sex Gly Leu Ala Gin Het Het Arg Glu Cys Trp Tyr Pro Asn Pro Ser Ala Arg Leu Thr Ala Leu Arg Ile Lys Lys Thr Leu Gln Lys Leu Ser His Agn Pro Glu Lys Pro Lys Val Ile His 500

- (i) SEQUENCE CHARACTERISTICS:

 (A) LENGTH: 2070 base pairs

 (B) TYPE: nucleic acid

 (C) STRANDEDNESS: unknown

 (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: CDNA
- (iii) HYPOTHETIÇAL: NO
- (iii) ANTI-SENSE:\ NO
 - (v) FRAGMENT TYPE: internal
- (vi) ORIGINAL SOURCE: (A) ORGANISM: Mouse
- (ix) FEATURE:
 - (A) NAME/KEY: CDS
 - (B) LOCATION: 217 . 1812
- (xi) SEQUENCE DESCRIPTION SEQ ID NO: 13:

ATTCATGAGA TGGAAGCATA GGTCAAAGCT GTTCGGAGAA ATTGGAACTA CAGTTTTATC	60
TAGCCACATC TCTGAGAATT CTGAAGAAAG CAGCAGGTGA AAGTCATTGC CAAGTGATTT	120
TGTTCTGTAA GGAAGCCTCC CTCATTCACT TACACCAGTG AGACAGCAGG ACCAGTCATT	180
CAAAGGGCCG TGTACAGGAC GCGTGGCAAT CAGACA ATG ACT CAG CTA TAC ACT Het Thr Gln Leu Tyr Thr 1 5	234
TAC ATC AGA TTA CTG GGA GCC TGT CTG TTC ATC ATT TCT CAT GTT CAA Tyr Ile Arg Leu Leu Gly Ala Cys Leu Phe Ile Ile Ser His Val Gin 10 15 20	282
GGG CAG AAT CTA GAT AGT ATG CTC CAT GGC ACT GGT ATG AAA TCA GAC Gly Gln Asn Leu Asp Ser Met Leu His Gly Thr Gly Het Lys Ser Asp 25 30 35	330
TTG GAC CAG AAG CAA GAA AAT GGA GTG ACT TTA GCA CCA GAG GAT Leu Asp Gln Lys Pro Glu Asn Gly Val Thr Leu Ala Pro Glu Asp 40 45 50	378
ACC TTG CCT TTC TTA AAG TGC TAT TGC TCA GGA CAC TGC CCA GAT GAT: Thr Leu Pro Phe Leu Lys Cys Tyr Cys Ser Gly His Cys Pro Asp Asp 55 60 65 70	426
GCT ATT AAT AAC ACA TGC ATA ACT AAT GGC CAT TGC TTT GCC ATT ATA Ala lle Asn Asn Thr Cys lle Thr Asn Gly His Cys Phe Ala lle lle 75 80 85	474
GAA GAA GAT GAT CAG GGA GAA ACC ACA TTA ACT TCT GGG TGT ATG AAG Glu Glu Asp Asp Gln Gly Glu Thr Thr Leu Thr Ser Gly Cys Het Lys 90 95 100	522

TAT Tyr	GAA Glu	GGC Gly 105	TCT Ser	GAT Asp	TTT Phe	CAA Gln	TGC Cys 110	AAG Lys	GAT Asp	TCA Ser	CCG Pro	AAA Lys 115	GCC Ala	CAG Gln	CTA Leu	570
CGC Arg	AGG Arg 120	ACA Thr	ATA Ile	eth eyv	TGT Cys	TGT Cys 125	CGG Arg	ACC Thr	AAT Asn	TTG Leu	TGC Cys 130	AAC ABE	CAG Gln	TAT	TTG Lou	618
CAG Gln 135	CCT Pro	ACA Thr	CTG Leu	CCC Pro	Pro 140	GTT Val	GTT Val	ATA Ile	GCT Gly	CCG Pro 145	TTC Phe	TTT Phe	GAT Asp	GGC	AGC Ser 150	666
ATC Ile	CGA Arg	TGG Trp	CTG Leu	GTT Val 155	APJ GIC	CTC Leu	ATT Ile	TCC Ser	ATG Met 160	GCT Ala	GTC Val	TGT Cys	ATA Ile	GTT Val 165	GCT Ala	714
ATG Met	ATC Ile	ATC Ile	TTC Phe 170	TCC	AGC Ser	CA:	TTT Pho	TGC Cys 175	TAT Tyr	AAG Lys	CAT	TAT Tyr	TGT Cys 180	AAG Lys	AGT Ser	762
ATC	TCA Ser	AGC Ser 185	AGG Arg	GGT Gly	CGT Arg	TAC	AAC Aan 190	CGT Arg	GAT Asp	TTG Leu	GAA Glu	CAG Gln 195	GAT Asp	GAA Glu	Ala Ala	810
TTT Phe	ATT Ile 200	CCA Pro	GTA Val	GGA Gly	GAA Glu	TCA Ser 205	Leu	AAA Lys	GAC Asp	CTG Leu	ATT Ile 210	GAC Asp	CAG Gln	TCC Ser	CAA Gln	. 858
AGC Ser 215	TCT Ser	GGG Gly	AGT Ser	GGA Gly	TCT Ser 220	GGA Gly	Leu	CCT Pro	TTA Leu	TTG Leu 225	GTT Val	CAG Gln	CGA Arg	ACT Thr	ATT Ile 230	906
GCC Ala	AAA Lys	CAG Gln	ATT Ile	CAG Gln 235	ATG Met	GTT Val	Arg Arg	eju eye	GTT Val 240	GCT Gly	AAA Lys	et ecc	CGC Arg	TAT Tyr 245	GGA Gly	954
GAA Glu	GTA Val	TGG Trp	ATG Het 250	GGT Gly	AAA Lys	TGG Trp	CGT Arg	GGT [\] G1y 255	GAA Glu	AAA Lys	GTG Val	GCT Ala	GTC Val 260	AAA Lys	GTG Val	1002
TTT Phe	TTT Phe	ACC Thr 265	ACT Thr	GAA Glu	GAA Glu	GCT Ala	AGC Ser 270	TGG Trp	Ph	AGA Arg	GAA Glu	ACA Thr 275	GJ <i>n</i> GYY	ATC	TAC Tyr	1050
CAG Gln	ACG Thr 280	GTG Val	TTA	ATG Het	CGT Arg	CAT His 285	GAA Glu	AAT Asn	ATA Ile	Ten	GGT Gly 290	TTT	ATA Ile	GCT Ala	GCA Ala	1098
GAC Asp 295	ATT	AAA Lys	Gly	ACT	GGT Gly 300	TCC Ser	TGG Trp	ACT	CAG Gln	CTC Leu 305	TAT Tyr	TTG Leu	ATT	ACT Thr	GAT Asp 310	. 1146
TAC Tyr	CAT His	GAA Glu	AAT Asn	GGA Gly 315	TCT Ser	CTC	TAT Tyr	GAC Asp	TTC Phe 320	CTG	AAA Lys	TGT Cys	Ala	ACA Thr 325	CTA Leu	1194
GAC Asp	ACC Thr	AGA Arg	GCC Ala 330	Leu	CTC	AAG Lys	TTA Leu	GCT Ala 335	TAT Tyr	TCT Ser	A1 Eqt	GCT Ala	TGT Cys 340	GGT Gly	CTG Leu	1242

TGC CAC CTC CAC ACA GAA ATT TAT GGT ACC CAA GGG AAG CCT GCA ATT Cys His Leu His Thr Glu Ile Tyr Gly Thr Gln Gly Lys Pro Ala Ile 345 350 355	1290									
GCT CAT CGA GAC CTG AAG AGC AAA AAC ATC CTT ATT AAG AAA AAT GGA Ala His Arg Asp Leu Lys Ser Lys Asn Ile Leu Ile Lys Lys Asn Gly 360 370	1338									
AGT TGC TGT ATT GCT GAC CTG GGC CTA GCT GTT AAA TTC AAC AGT GAT Ser Cys Cys Ile Ala Asp Leu Gly Leu Ala Val Lys Phe Asn Ser Asp 375 380 385	1386									
ACA AAT GAA GTT GAC ATA CCC TTG AAT ACC AGG GTG GGC ACC AAG CGG Thr Asn Glu Val Asp Ile Pro Leu Asn Thr Arg Val Gly Thr Lys Arg 395 400 405	1434									
TAC ATG GCT CCA GAA GTG CTG GAT GAA AGC CTG AAT AAA AAC CAT TTC Tyr Het Ala Pro Glu Val Leu Asp Glu Ser Leu Asn Lys Asn His Phe 410 420	1482									
CAG CCC TAC ATC ATG GCT GAC ATC TAT AGC TTT GGT TTG ATC ATT TGG Gin Pro Tyr Ile Met Ala Asp Ile Tyr Ser Phe Gly Leu Ile Ile Trp 425 430 430 435	1530									
GAA ATG GCT CGT CGT TGT ATT ACA GGA ATC GTG GAG GAA TAT CAA Glu Het Ala Arg Arg Cys Ile Thr Gly Gly Ile Val Glu Glu Tyr Gln 440 445	1578									
TTA CCA TAT TAC AAC ATG GTG CCC AGT GAG CCA TCC TAT GAG GAC ATG Leu Pro Tyr Tyr Asn Het Val Pro Ser Asp Pro Ser Tyr Glu Asp Het 455 460 470	1626									
CGT GAG GTT GTG TGT GTG AAA CGC TTG CGG CCA ATC GTG TCT AAC CGC Arg Glu Val Val Cys Val Lys Arg Leu Arg Pro Ile Val Ser Asn Arg 475 480 485	1674									
TGG AAC AGC GAT GAA TGT CTT CGA GCA GTT TTG AAG CTA ATG TCA GAA Trp Asn Ser Asp Glu Cys Leu Arg Ala Val Leu Lys Leu Het Ser Glu 490 495 500	1722									
TGT TGG GCC CAT AAT CCA GCC TCC AGA CTC ACA GCT TTG AGA ATC AAG Cys Trp Ala His Asn Pro Ala Ser Arg Leu Thr Ala Leu Arg Ile Lys 505 510	1770									
AAG ACA CTT GCA AAA ATG GTT GAA TCC CAG GAT GTA AAG ATT Lys Thr Leu Ala Lys Met Val Glu Ser Gln Asp Val Lys Ile 520 530	1812									
TGACAATTAA ACAATTTTGA GGGAGAATTT AGACTGCAAG AACTTCTTCA CCCAAGGAAT	1872									
GGGTGGGATT AGCATGGAAT AGGATGTTGA CTTGGTTTCC AGACTCCTTC CTCTACATCT	1932									
TCACAGGCTG CTAACAGTAA ACCTTACCGT ACTCTACAGA ATACAAGAT GGAACTTGGA	1992									
ACTICAAACA IGICATICIT TATATATGAC AGCITIGITI TAATGIGGGG TITITITIGIT	2052									
TGCTTTTTTT GTTTGTT										

(2) INFORMATION FOR SEQ ID NO: 14:

- (1) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 532 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear

(11) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 14:

Het Thr Gln Leu Tyr Thr Tyr Ile Arg Leu Leu Gly Ala Cys Leu Phe 1 5 10 15

Ile Ile Ser His Val Gln Gly Gln Asn Leu Asp Ser Het Leu His Gly 20 25 30

Thr Gly Met Lys Ser Asp Neu Asp Gln Lys Lys Pro Glu Asn Gly Val

Thr Leu Ala Pro Glu Asp Thr Leu Pro Phe Leu Lys Cys Tyr Cys Ser 50 60

Gly His Cys Pro Asp Asp Ala Ala Asn Thr Cys Ile Thr Asn Gly
65 70 75 80

His Cys Phe Ala Ile Ile Glu Glu Asp Asp Gln Gly Glu Thr Thr Leu 85 90 95

Thr Ser Gly Cys Met Lys Tyr Glu Gly Ser Asp Phe Gln Cys Lys Asp
100 105 110

Ser Pro Lys Ala Gln Leu Arg Arg Thr Ile Glu Cys Cys Arg Thr Asn 115 120 125

Leu Cys Asn Gln Tyr Leu Gln Pro Thr Leu Pro Pro Val Val Ile Gly

Pro Phe Phe Asp Gly Ser Ile Arg Trp Leu Val Val Leu Ile Ser Met 145 150 160

Ala Val Cys Ile Val Ala Met Ile Ile Phe Ser Ser Cys Phe Cys Tyr
165 170 175

Lys His Tyr Cys Lys Ser Ile Ser Ser Arg Gly Arg Tyr Asn Arg Asp 180 185

Leu Glu Gln Asp Glu Ala Phe Ile Pro Val Gly Glu Ser Leu Lys Asp 195 200 205

Leu Ile Asp Gln Ser Gln Ser Ser Gly Ser Gly Ser Gly Leu Pro Leu 210 220

Leu Val Gln Arg Thr Ile Ala Lys Gln Ile Gln Het Val Arg Gln Val
225 230 240

Gly Lys Gly Arg Tyr Gly Glu Val Trp Met Gly Lys Trb Arg Gly Glu 255 255

Val Ala Val Lys Val Phe Phe Thr Thr Glu Glu Ala Ser Trp Phe 260 265 270 Arg Glu Thr Glu Ile Tyr Gln Thr Val Leu Het Arg His Glu Asn Ile Leu Gly Phe Ile ala Ala Asp Ile Lys Gly Thr Gly Ser Trp Thr Gln Leu Tyr Leu Ile The Asp Tyr His Glu Asn Gly Ser Leu Tyr Asp Phe teu Asp Thr Arg Ala Leu Leu Lys Leu Ala Tyr 330 335 Leu Lys Cys Ala Thr Ser Ala Ala Cys Gly Leu Cys His Leu His Thr Glu Ile Tyr Gly Thr Gin Gly Lys Pro Ala Ile Ala His Arg Asp Leu Lys Ser Lys Asn Ile 360 Leu Ile Lys Lys Asn Gly Ser Cys Cys Ile Ala Asp Leu Gly Leu Ala 370 380 Val Lys Phe Asn Ser Asp Thr Ash Clu Val Asp Ile Pro Leu Asn Thr Arg Val Gly Thr Lys Arg Tyr het Ala Pro Glu Val Leu Asp Glu Ser Leu Asn Lys Asn His Phe Gln Pro Tor Ile Met Ala Asp Ile Tyr Ser Gly Leu Ile Ile Trp Glu Het Ala Arg Arg Cys Ile Thr Gly Gly Ile Val Glu Glu Tyr Gln Leu Pro Tyr Tyt Asn Het Val Pro Ser Asp Pro Ser Tyr Glu Asp Het Arg Glu Val Val Cys Val Lys Arg Leu Arg Pro Ile Val Ser Asn Arg Trp Asn Ser Asp Glu Cys Leu Arg Ala Val Leu Lys Leu Met Ser Glu Cys Trp Ala His Asn Pro Ala Ser Arg Leu Thr Ala Leu Arg Ile Lys Lys Thr Leu Ala Lys Met\ Val Glu Ser Gln Asp Val Lys Ile

(2) INFORMATION FOR SEQ ID NO: 15:

(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 2160 base pairs

		ič	3) T) 3) S) 3) T(CRAMI	DEDNI	ESS:	unki										
	(11)	HOI	LECUI	le T	PE:	CDN	N										
((111)	HYI	POTHI	ETIC	VE/S 1	NO											
((iii)	AN?	ri-si	ens e :	. иф												
	(V)	FRI	AGMEI	NT T	CPE:	\inte	erna	1									
	(vi)		(GIN) (A) OI														
	(ix)	FE	TURI	C:		_/											
		(1	A) NA B) L	CAT:	KBY:	10.	.¥524	\$									
	(xi)	SEC	QUENC	CE DI	ESCR	IPTI(אכ.\	SEQ I	D NO): 1!	5:						
ccc	GTT	AC AT	rg go	CG GI	AG TO Lu So	og go	cc cl La Gi 5	2	CC TO	CC TO	er Pi	C Ti ne Pi 10	rc co	CC C	TT Du		4
								G13 GC									9
CAG Gln 30	GCT Ala	CTG Leu	CTG Leu	TGT Cys	GCG Ala 35	TGC Cys	ACC Thr	AGC Ser	ck.	CTA Leu 40	CAG Gln	ACC Thr	AAC Asn	TAC Tyr	ACC Thr 45	1	14
TGT Cys	GAG Glu	ACA Thr	GAT Asp	GGG Gly 50	GCT Ala	TGC Cys	ATG Met	GTC Val	TCC Ser 55	A10	TIT Phe	AAC Asn	CTG Leu	GAT Asp 60	GCC	1	19
GTG Val	GAG Glu	CAC His	CAT His 65	GTA Val	CGT Arg	ACC Thr	TGC Cys	ATC Ile 70	CCC Pro	AAC Lys	GTG Val	GAG Glu	CTG Leu 75	GTT Val	CCT Pro	2	24
GCT Ala	GGA Gly	AAG Lys 80	CCC Pro	TTC Phe	TAC Tyr	TGC Cys	CTG Leu 85	AGT Ser	TCA Ser	GAG Glu	AAP AAP	CTG Leu 90	CGC Arg	AAC Asn	ACA Thr	2	28
CAC His	TGC Cys 95	TGC Cys	TAT Tyr	ATT Ile	GAC Asp	TTC Phe 100	TGC Cys	AAC Aen	AAG Lys	ATT	GAC	CTC Leu	λcg	GTC Val	CCC Pro	,3	33
AGC Ser 110	GGA Gly	CAC His	CTC Leu	aag Lys	GAG Glu 115	CCT Pro	GCG Ala	CAC	CCC Pro	TCC Ser 120	ATG Met	TER	ety ecc	CCT Pro	GTG Val 125	3	8
GAG Glu	CTG Leu	GTC Val	GLY	ATC Ile 130	ATC 11e	GCC	eja eec	CCC Pro	GTC Val 135	TTC Phe	CTC Leu	CTC Leu	TTC Pho	CTT Leu 140	ATC Ile	4	13
													\				
														1			

ATT Ile	ATC Ile	ATC Ile	GTC Val 145	Ph	CTG Leu	GTC Val	ATC Ile	AAC Asn 150	Tyr	HIS	CAG Gln	∝T Arg	GTC Val 155	TAC Tyr	CAT His	480
AAC Asn	Arg CGC	CAG Gln 160	Arg	TTG	APP	ATG Met	GAG Glu 165	GAC Asp	Pro	TCT	TGC	GAG Glu 170	ATG Met	TGT	CTC	528
TCC Ser	AAA Lys 175	GAC Asp	AAG Lys	ACG Thr	Leu	CAG Gln 180	GAT Asp	CTC	GTC Val	TAC Tyr	GAC Asp 185	CTC Leu	TCC Ser	ACG Thr	TCA Ser	576
GGG Gly 190	TCT Ser	GCC	TCA Ser	GGG Gly	TTA Leu 195	Pro	CTT Leu \	TTT	GTC Val	CAG Gln 200	CGC Arg	ACA Thr	GTG Val	GCC Ala	CGA Arg 205	624
ACC Thr	ATT Ile	GTT Val	TTA	CAA Gln 210	GAG Glu	ATT Ile	I/T.	GGC	AAG Lys 215	GGC Gly	CGG Arg	TTC Phe	G1y GGG	GAA Glu 220	GTA Val	672
										GCT Ala						720
TCT Ser	CGT Arg	GAA Glu 240	GAA Glu	ccc Arg	TCT Ser	TGG Trp	TTC Phe 245	**	GAA Glu	GCA Ala	GAG Glu	ATC Ile 250	TAC Tyr	CAG Gln	ACC Thr	768
GTC Val	ATG Met 255	CTG Leu	ccc Arg	CAT His	GAA Glu	AAC Asn 260	ATC Ile	CTT Leu	ey'a ecc	TTT Phe	ATT Ile 265	GCT Ala	GCT Ala	GAC Asp	AAT Asn	816
AAA Lys 270	GAT Asp	AAT Asn	GCC	ACC Thr	TGG Trp 275	ACC Thr	CAG Gln	CTG Leu	Trp Trp	CTT Leu 280	GTC Val	TCT Ser	GAC Asp	TAT Tyr	CAC His 285	864
GAG Glu	CAT His	GGC Gly	TCA Ser	CTG Leu 290	TTT Phe	GAT Asp	TAT Tyr	CTG Leu	AAC Aen 295	Vrd	TAC Tyr	ACA Thr	GTG Val	ACC Thr 300	ATT Ile	912
GAG Glu	GGA Gly	ATG Met	ATT Ile 305	AAG Lys	CTA Leu	GCC Ala	TTG Leu	TCT Ser 310	GCA Ala	GCC Ala	SOT	Gly	TTG Leu 315	GCA Ala	CAC His	960
CTG	CAT His	ATG Met 320	GAG Glu	ATT	GTG Val	Gly	ACT Thr 325	CAA Gln	G1y GGG	AAG Lys	CCG Pro	GGY GIA GCY	ATT Ile	GCT Ala	CAT His	1008
										AAA Lys						1056
GCC Ala 350	ATT Ile	GCA Ala	ABP GAC	CTG Leu	GGC Gly 355	CTG Leu	GCT Ala	GTC Val	λrg	CAT His 360	yeb	c∝ \	Val	Thr .	GAC Asp 365	1104
ACC Thr	ATA Ile	GAC Asp	ATT Ile	GCT Ala 370	CCA Pro	AAT Asn	CAG Gln	Arg	GTG Val 375	GGG Gly	ACC . Thr	AAA Lys	VLd.	TAC I Tyr 380	ATG Met	1152

GCT CCT GAA GTC CTT GAC GAG ACA ATC AAC ATG AAG CAC TTT GAC TCC Ala Pro Glu Val Leu Asp Glu Thr Ile Asn Het Lys His Phe Asp Ser 385	1200
TTC AAA TGT GCC GAC ATC TAT GCC CTC GGG CTT GTC TAC TGG GAG ATT Phe Lys Cys Ala Asp Ile Tyr Ala Leu Gly Leu Val Tyr Trp Glu Ile 400 405 410	1248
GCA CGA AGA TGC AAT TCT GGA GGA GTC CAT GAA GAC TAT CAA CTG CCG Ala Arg Arg Cys Ash Ser Gly Gly Val His Glu Asp Tyr Gln Leu Pro 415	1296
TAT TAC GAC TTA GTG CCC TCC GAC CCT TCC ATT GAG GAG ATG CGA AAG Tyr Tyr Asp Leu Val Pro Ser Asp Pro Ser Ile Glu Glu Het Arg Lys 430 445	1344
GTT GTA TGT GAC CAG AAG CTA CGG CCC AAT GTC CCC AAC TGG TGG CAG Val Val Cys Asp Gln Lys Leu Arg Pro Asn Val Pro Asn Trp Trp Gln 450 455	1392
AGT TAT GAG GCC TTG CGA GTG ATG GGA AAG ATG ATG CGG GAG TGC TGG Ser Tyr Glu Ala Leu Arg Val Met Gly Lys Met Met Arg Glu Cys Trp 465 470 475	1440
TAC GCC AAT GGT GCC CGT CTG ACA GCT CTG CGC ATC AAG AAG ACT TYT Ala Asn Gly Ala Ala Arg Leu Thr Ala Leu Arg Ile Lys Lys Thr 480 490	1488
CTG TCC CAG CTA AGC GTG CAG GAA GAT GTG AAG ATT TAAGCTGTTC Leu Ser Gln Leu Ser Val Gln Glu Asp Val Lys Ile 495 500 505	1534
CTCTGCCTAC ACAAAGAACC TGGGCAGTGA GGATGACTGC AGCCACCGTG CAAGCGTCGT	1594
GGAGGCCTAT CCTCTTGTTT CTGCCCGGCC CTCTGGCAGA GCCCTGGCCT GCAAGAGGGA	1654
CAGAGCCTGG GAGACGCGCG CACTCCCGTT GGGTTTGAGA CAGACACTTT TTATATTTAC	1714
CTCCTGATGG CATGGAGACC TGAGCAAATC ATGTAGTCAC TCAATGCCAC AACTCAAACT	1774
GCTTCAGTGG GAAGTACAGA GACCCAGTGC ATTGCGTGTG CAGGAGCGTG AGGTGCTGGG	1834
CTCGCCAGGA GCGGCCCCCA TACCTTGTGG TCCACTGGGC TGCAGGTTTT CCTCCAGGGA	1894
CCAGTCAACT GGCATCAAGA TATTGAGAGG AACCGGAAGT TTCTCCCTCC TTCCCGTAGC	1954
AGTCCTGAGC CACACCATCC TTCTCATGGA CATCCGGAGG ACTGCCCCTA GAGACACAAC	2014
CTGCTGCCTG TCTGTCCAGC CAAGTGCGCA TGTGCCCGAGG TGTGTCCCAC ATTGTGCCTG	2074
GTCTGTGCCA CGCCCCTGTG TGTGTGTGTG TGTGTGAGTG AQTGTGTGTG TGTACACTTA	2134
ACCTGCTTGA GCTTCTGTGC ATGTGT	2160

(2) INFORMATION FOR SEQ ID NO: 16:

(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 505 amino acids

(B) TYPE: amino acid (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(x1) SEQUENÇE DESCRIPTION: SEQ ID NO: 16:

Het Ala Glu Ser Ala Gly Ala Ser Ser Phe Phe Pro Leu Val Val Leu Leu Leu Ala Gly Ser Gly Gly Ser Gly Pro Arg Gly Ile Gln Ala Leu Lou Cys Ala Cys Thr\Ser Cys Leu Gln Thr Asn Tyr Thr Cys Glu Thr 35 Asp Gly Ala Cys Met Val Ser Ile Phe Asn Leu Asp Gly Val Glu His 50 55 His Val Arg Thr Cys Ile Pro Lys Val Glu Leu Val Pro Ala Gly Lys 65 70 75 80 Pro Phe Tyr Cys Leu Ser Ser Glu Asp Leu Arg Asn Thr His Cys Cys 85 Tyr Ile Asp Phe Cys Asn Lys Ite Asp Leu Arg Val Pro Ser Gly His Leu Lys Glu Pro Ala His Pro Ser Het Trp Gly Pro Val Glu Leu Val 115 Gly Ile Ile Ala Gly Pro Val Phe Neu Leu Phe Leu Ile Ile Ile Ile 135 Val Phe Leu Val Ile Asn Tyr His Glh Arg Val Tyr His Asn Arg Gln Arg Leu Asp Met Glu Asp Pro Ser Cys Glu Met Cys Leu Ser Lys Asp 165 170 175 Lys Thr Leu Gln Asp Leu Val Tyr Asp Leu Ser Thr Ser Gly Ser Gly 180 185 190 Ser Gly Leu Pro Leu Phe Val Gln Arg Thr Val Ala Arg Thr Ile Val Leu Gin Glu Ile Ile Gly Lys Gly Arg Phe Gly Glu Val Trp Arg Gly 210 225 Arg Trp Arg Gly Gly Asp Val Ala Val Lys Ile Phe Ser Ser Arg Glu Glu Arg Ser Trp Phe Arg Glu Ala Glu Ile Tyr Gln Thr Val Het Leu

Arg His Glu Asn Ile Leu Gly Phe Ile Ala Ala Asp Ash Lys Asp Asn

Gly Thr Trp Thr Gln Leu Trp Leu Val Ser Asp Tyr His Glu His Gly 275 280 Ser Leu Phe Asp Tyr Leu Asn Arg Tyr Thr Val Thr Ile Glu Gly Met Ile Lys Leu Ala Leu Ser Ala Ala Ser Gly Leu Ala His Leu His Met Glu Ile Val Gly Thr Glb Gly Lys Pro Gly Ile Ala His Arg Asp Leu Lys Ser Lys Asn Ile Leu Val Lys Lys Asn Gly Het Cys Ala Ile Ala Asp Leu Gly Leu Ala Val Arg His Asp Ala Val Thr Asp Thr Ile Asp Ile Ala Pro Asn Gln Arg Val Qly Thr Lys Arg Tyr Het Ala Pro Glu 375 Val Leu Asp Glu Thr Ile Asn Med Los His Phe Asp Ser Phe Lys Cys Ala Asp Ile Tyr Ala Leu Gly Leu Tpl Tyr Trp Glu Ile Ala Arg Arg Cys Asn Ser Gly Gly Val His Glu Ash Tyr Gln Leu Pro Tyr Tyr Asp Leu Val Pro Ser Asp Pro Ser Ile Glu Glu Het Arg Lys Val Val Cys Asp Gln Lys Leu Arg Pro Asn Val Pro Ash Trp Trp Gln Ser Tyr Glu Ala Leu Arg Val Met Gly Lys Met Het Arg Glu Cys Trp Tyr Ala Asn 470 470Gly Ala Ala Arg Leu Thr Ala Leu Arg Ile Lya Lys Thr Leu Ser Gln 490 Leu Ser Val Gln Glu Asp Val Lys Ile 500 505

(2) INFORMATION FOR SEQ ID NO: 17:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1952 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: unknown
 - (D) TOPOLOGY: unknown
- (ii) MOLECULE TYPE: cDNA
- (111) HYPOTHETICAL: NO
- (111) ANTI-SENSE: NO

(V)	FRAGHENT	TYPE:	internal
-----	-----------------	-------	----------

(vi) ORIGINAL SOURCE: (A) ORGANISM: Mouse

(ix) FEATURE: (A) NAME/REY: CDS (B) LOCATION: 187..1692

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 17:

(40), 002-1-1-1-1	
ANGEGGEGGE AGANGTTECE GGEGTGGTGC TESTNGTGNG GGEGGGAGG ACCEGGACC	60
TGGGAAGCGG CGGCGGGTTA ACTTCGGCTG AATCACAACC ATTTGGCGCT GAGCTATGAC	120
AAGAGAGCAA ACAAAAAGTT RAAGGAGCAA CCCCGCCCATA AGTGAAGAGA GAAGTTTATT	180
GATAAC ATG CTC TTA CGA AGC TCT GGA AAA TTA AAT GTG GGC ACC AAG	220
Het Leu Leu Arg Ser Ser Gly Lys Leu Asn Val Gly Thr Lys	228
1 5 10	
ANG GAG GAT GGA GAG AGT ACA GCC CCC ACC CCT CGG CCC AAG ATC CTA	276
Lys Glu Asp Gly Glu Ser Thr Ala Pro Thr Pro Arg Pro Lys Ile Leu 15 20 25 30	
CGT TGT AAA TGC CAC CAC CAC TGT CCG GAA GAC TCA GTC AAC AAT ATC	324
Arg Cys Lys Cys His His Cys Pro Glu Asp Ser Val Asn Asn Ile 35 40 45	
\	
TGC AGC ACA GAT GGG TAC TGC TTC ACG ATG ATA GAA GAT GAC TCT Cys Ser Thr Asp Gly Tyr Cys Phe Thr\Met Ile Glu Glu Asp Asp Ser	372
50 55 \ 60	
GGA ATG CCT GTT GTC ACC TCT GGA TGT CTA GGA CTA GAA GGG TCA GAT	420
Gly Met Pro Val Val Thr Ser Gly Cys Leu Gly Leu Glu Gly Ser Asp	420
65 70 75	
TIT CAA TGT CGT GAC ACT CCC ATT CCT CAT GAA AGA AGA TCA ATT GAA	468
Phe Gln Cys Arg Asp Thr Pro Ile Pro His Gin Arg Arg Ser Ile Glu	400
80 85 \ 90 .	
TGC TGC ACA GAA AGG AAT GAG TGT AAT AAA GAC CTC CAC CCC ACT CTG	516
Cys Cys Thr Glu Arg Asn Glu Cys Asn Lys Asp Leu His Pro Thr Leu	
95 100 105 \ 110	
CCT CCT CTC AAG GAC AGA GAT TTT GTT GAT GGG CCC ATA CAC CAC AAG	564
Pro Pro Leu Lys Asp Arg Asp Phe Val Asp Gly Pro lle His His Lys	
115 120 \ 125	
GCC TTG CTT ATC TCT GTG ACT GTC TGT AGT TTA CTC TTG GTC CTC ATT	612
Ala Leu Leu Ile Ser Val Thr Val Cys Ser Leu Leu Leu Val Leu Ile	•
130 135 \140	
ATT TTA TTC TGT TAC TTC AGG TAT AAA AGA CAA GAA GCC CGA CCT CGG	660
Ile Leu Phe Cys Tyr Phe Arg Tyr Lys Arg Gln Glu Ala Arg Pro Arg	
742 730	

TAC Tyr	AGC Ser 160	1/10	614 666	CTG	GAG Glu	CAG Gln 165	GAC Asp	GAG Glu	ACA Thr	TAC Tyr	ATT 11e 170	CCT Pro	CCT Pro	GGA Gly	GAG Glu	708
TCC Ser 175	CTG Leu	AGA Arg	GAC Asp	TTG	ATC Ile 180	GAG Glu	CAG Gln	TCT	CAG Gln	AGC Ser 185	TCG Sor	GGA Gly	AGT Ser	GGA	TCA Ser 190	756
					GTC Val											804
				C1 λ	Lys											852
					A#1											900
					GAG Glu											948
CAT His 255	GAG Glu	AAT Asn	ATT	CTG Leu	GGG Gly 260	TTC Phe	**	CCT X1a	GCA Ala	GAT Asp 265	ATC Ile	AAA Lys	GCG	ACT Thr	GGG Gly 270	996
					TAC Tyr											1044
					AAA Lys											1092
					TCT Ser											1140
					GCC											1188
					GTG Val 340											1236
					aag Lys											1284
					GTT Val		Thr									1332
					AAT Asn											1380

		- /														1428
GAC	ATG	TAC	AGC	TII	GGX	CIC	ATC	CIC	TGG	GAG	ATT	CCX	AGG	AUA.	101	1440
ASD	Met	Tyr	Ser	Phe	Gly	Leu	Ile	Leu	Trp	Glu	110	YIT	YLd	AFG	Cys	
	400	•			-	405					410					
			- /													
7	TOT	GGA	ccy	ATA	GTG	GAA	GAA	TAC	CAG	CII	CCC	TAT	CAC	GAC	CIG	1476
U - 1	50-	Cly	Gly	710	Val	Glu	Glu	TVI	Gln	Leu	Pro	TVE	His	Asp	Leu	
	261	GIJ	013	1	420			-3-		425				_	430	
415				- /	420											
							636	010	100	161	GAA	A TOT	CTG	TGC	ATG	1524
GTG	CCC	AGT	GAC	CCI	TCT	TAT	GAG	CAC	MIG	707	Chi	710	Val	CVE	Met	
Val	Pro	Ser	yab	Pro	Asz	Tyr	GIU	vab	Met	AFG	OIU	110	***	445	Ket	
				435					440					773		
					- /											1871
AAG	AAG	TTA	CGG	CCI	TCA	TIC	CCC	AAT	₩	TGG	AGC	AGT	GAT	GAG	TGT	1572
Lve	Lvs	Leu	Arg	Pro	Ser	Phe	Pro	Asn	Arg	Trp	Ser	Ser	yab	Glu	Cys	
-, -	-,-		450			\		455					460			
			•			- /										
~~~	100	CNG	ATG	ccc	AAG	CIK	ATG	ACA	GAG	TGC	TGG	GCG	CAG	AAT	CCT	1620
	700	CAU	Mat	Glu	7.20	Leu	Met	Thr	Glu	CVS	Tro	Ala	Gln	Asn	Pro	
Leu	AFG		nec	Gry	-J-	201	470			-,,-		475				
		465					7.5					7				
						~~~	12	-	220		3.00	-	GCC	222	ATG	1668
GÇC	TCC	AGG	CIG	ACG	GCC	CIG	ved	GII	ANG	T	Th-	Ton	310	Lve	ATG	
Ala		Arg	Leu	Thr	VIS	Leu	NEG	/ AST	Lyn	rys	11112	Leu	VIE	27-	Met	
	480					485		\			490					
								\ /	า							1221
TCA	GAG	TCC	CAG	GAC	ATT	λλλ	CTC	TGA	ETC	AGA :	INCI	ICIG	CY C	AGAG	CAAGA	1722
Ser	Glu	Ser	Gln	Asp	Ile	Lys	Leu	/X	7							
495				_	500	_		V	(
								•	\							
A TT	TCAC	AGA :	AGCA'	TCGT	TA G	CCCA	AGCC	T TG	AÀCG:	TTAG	CCT	ACTG	ccc :	agtg.	AGTTC	A 1782
									1							
~ > ~		CTC 1	CAAC	3G3G	CA C	CCTC	GGCA	G AC	ACAG	AGGA	ACC	CAGA	AAC .	ACGG:	ATTCA	T 1847
GAC	1110	C10 .	JANG	nono						`						
			ma . c	~>~~			منطب	a ca	7220	4 ACT	TCA	AGAT	ATG :	ATGC	ATGIT	G 1902
CAT	CCCT	TTC	TONG	فاحالان	AU A	MAC 1	~ 1 1 1,		•~~	-1						
										_	272		222			1952
CII	TCTA	AGA .	AAGC	CCIG	TA T	TITG	AATT	A CC	WIII	111/1	VIV	~~~	nnn			

(2) INFORMATION FOR SEQ ID NO: 18:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 502 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 18:

Met Leu Leu Arg Ser Ser Gly Lys Leu Asn Val Gly Thr Dys Lys Glu
1 10 15

Asp Gly Glu Ser Thr Ala Pro Thr Pro Arg Pro Lys Ile Leu Arg Cys

Lys Cys His His His Cys Pro Glu Asp Ser Val Asn Asn Ile Cys Ser

Thr Asp Gly Tyr Cys Phe Thr Met Ile Glu Glu Asp Asp Ser Gly Met 50 60

Val Val Thr Ser Gly Cys Leu Gly Leu Glu Gly Ser Asp Phe Gln 70 75 80 Cys Arg Asp Thr Pro Ile Pro His Gln Arg Arg Ser Ile Glu Cys Cys 95 Thr Glu Arg Ann Glu Cys Asn Lys Asp Leu His Pro Thr Leu Pro Pro Leu Lys Asp Arg Asp Phe Val Asp Gly Pro Ile His His Lys Ala Leu Leu Ile Ser Val Thr\Val Cys Ser Leu Leu Val Leu Ile Ile Leu 130 140 Phe Cys Tyr Phe Arg Tyr Lys Arg Gln Glu Ala Arg Pro Arg Tyr Ser 145 150 155 160 Ile Gly Leu Glu Gln Asp Glu Thr Tyr Ile Pro Pro Gly Glu Ser Leu Arg Asp Leu Ile Glu Gln Sek Gln Ser Ser Gly Ser Gly Ser Gly Leu Pro Leu Leu Val Gln Arg Thr Ile Ala Lys Gln Ile Gln Met Val Lys Gin lie Gly Lys Gly Arg Tyr Gly Glu Val Trp Met Gly Lys Trp Arg Gly Glu Lys Val Ala Val Lys Val Phe Phe Thr Thr Glu Glu Ala Ser 225 230 240 Trp Phe Arg Glu Thr Glu Ile Tyr Gln Thr Val Leu Met Arg His Glu Asn Ile Leu Gly Phe Ile Ala Ala Asp Ile Dys Gly Thr Gly Ser Trp 260 265 270 Thr Gln Leu Tyr Leu Ile Thr Asp Tyr His Glu Asn Gly Ser Leu Tyr Asp Tyr Leu Lys Ser Thr Thr Leu Asp Ala Lys Sen Met Leu Lys Leu Ala Tyr Ser Ser Val Ser Gly Leu Cys His Leu His Thr Glu Ile Phe Ser Thr Gln Gly Lys Pro Ala Ile Ala His Arg Asp Leu Lys Ser Lys 325 330 Asn Ile Leu Val Lys Lys Asn Gly Thr Cys Cys Ile Ala Asp Leu Gly 340 345 Leu Ala Val Lys Phe Ile Ser Asp Thr Asn Glu Val Asp Ile Pro Pro Asn Thr Arg Val Gly Thr Lys Arg Tyr Het Pro Pro Glu Val Leh Asp

Glu Ser Leu Asn Arg Asn His Phe Gln Ser Tyr Ile Met Ala Asp Met 400

Tyr Ser Phe Gly Leu Ile Leu Trp Glu Ile Ala Arg Arg Cys Val Ser Gly Gly Ile Val Glu Glu Tyr Gln Leu Pro Tyr His Asp Leu Val Pro Ser Asp Pro Ser Tyr Glu Asp Met Arg Glu Ile Val Cys Met Lys Lys

Ser Asp Pro Ser Tyr Glu Asp Met Arg Glu 11e val Cys Met Lys Lys
435
440
445

Leu Arg Pro Ser Phe Pro Asn Arg Trp Ser Ser Asp Glu Cys Leu Arg
450 460

Gin Het Gly Lys Leu Het Thr Glu Cys Trp Ala Gin Asn Pro Ala Ser 465 470 480

Arg Leu Thr Ala Leu Arg Val Lys Lys Thr Leu Ala Lys Het Ser Glu 485

Ser Gln Asp Ile Lys Leu 500

(2) INFORMATION FOR SEQ ID NO 79:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 28 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: CDNA
- (iii) HYPOTHETICAL: NO
- (iii) ANTI-SENSE: NO
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 19: GCGGATCCTG TTGTGAAGGN AATATCTG
- (2) INFORMATION FOR SEQ ID NO: 20:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 24 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) HOLECULE TYPE: CDNA
 - (iii) HYPOTHETICAL: NO
 - (iii) ANTI-SENSE: NO

28

(x1) SEQUENCE DESCRIPTION: SEQ ID NO: 20:	
GCGATCCGTC GCAGTCAAAA TTTT	24
(2) INFORMATION FOR SEQ ID NO: 21:	
(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 26 base pairs (B) TYPE nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(11) HOLECULE TYPE: CDNA	
(iii) HYPOTHETICAL:\NO	
(iii) ANTI-SENSE: NO	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 21:	
GCGGATCCGC GATATATTAA AAGCAA	26
(2) INFORMATION FOR SEQ ID NO: 22:	
(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: cDNA	
(iii) HYPOTHETICAL: NO	
(iii) ANTI-SENSE: YES	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 22:	
CGGAATTCTG GTGCCATATA	20
(2) INFORMATION FOR SEQ ID NO: 23:	
(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 37 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(ii) HOLECULE TYPE: cDNA	
(iii) HYPOTHETICAL: NO	



	•		
(111)	ANTI	-SENSE:	NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 23:

ATTCAAGGGC ACATCAACTT CATTTGTGTC ACTGTTG

37

- (2) IMPORMATION FOR SEQ ID NO: 24:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 26 base pairs
 - (B) TYPE: \nucleic acid
 - (C) STRANDEDNESS: single (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE CONA
 - (iii) HYPOTHETICAL: NO
 - (iii) ANTI-SENSE: NO
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 24:

GCGGATCCAC CATGGCGGAG TCGGCC

26

- (2) INFORMATION FOR SEQ ID NO: \25:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: cDNA
 - (iii) HYPOTHETICAL: NO
 - (iii) ANTI-SENSE: NO
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: \25:

AACACCGGGC CGGCGATGAT

20

- (2) INFORMATION FOR SEQ ID NO: 26:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 6 amino acids
 - (B) TYPE: amino acid (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide



- (v) FRAGMENT TYPE: internal
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 26: Gly Xaa Gly Xaa Xaa Gly
- (2) INFORMATION FOR SEQ ID NO: 27:
 - (1) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH 6 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY linear
 - (ii) MOLECULE TYPE: peptide
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 27:

Asp Phe Lys Ser Arg Asn

- (2) INFORMATION FOR SEQ ID NO: 28:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 6 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO 28:

Asp Leu Lys Ser Lys Asn

- (2) INFORMATION FOR SEQ ID NO: 29:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 6 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 29:
 - Gly Thr Lys Arg Tyr Met